



US00D588110S

(12) **United States Design Patent**  
**Darbut**

(10) **Patent No.:** **US D588,110 S**  
(45) **Date of Patent:** **\*\* Mar. 10, 2009**

(54) **COMMUNICATION HEADSET**  
(75) Inventor: **Alexander L. Darbut**, Edina, MN (US)  
(73) Assignee: **IntriCon Corporation**, Arden Hills  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/299,765**  
(22) Filed: **Jan. 4, 2008**  
(51) **LOC (9) Cl.** ..... **14-01**  
(52) **U.S. Cl.** ..... **D14/223; D14/206**  
(58) **Field of Classification Search** ..... D14/205,  
D14/206, 223, 224, 240, 225, 248, 249, 253;  
D24/173, 174; 181/22, 120, 128, 129, 130,  
181/131; 379/430, 431; 381/381  
See application file for complete search history.

6,233,344 B1 5/2001 Clegg et al. .... 381/374  
D445,416 S \* 7/2001 Glezerman ..... D14/223  
D448,015 S \* 9/2001 Lapalme ..... D14/206  
6,320,960 B1 11/2001 Lathrop, III et al. .... 379/430  
6,418,230 B1 7/2002 McDonald et al. .... 381/381  
6,490,362 B1 12/2002 Clegg et al. .... 381/375  
D468,299 S 1/2003 Boesen ..... D14/223  
D518,816 S \* 4/2006 Naito et al. .... D14/205  
D525,617 S \* 7/2006 Darbut ..... D14/223  
D527,376 S \* 8/2006 Swain et al. .... D14/223  
D527,377 S \* 8/2006 Darbut ..... D14/223  
D529,480 S \* 10/2006 Wittenbrock et al. .... D14/206  
D529,900 S \* 10/2006 Skulley et al. .... D14/223  
D533,865 S \* 12/2006 Wittenbrock et al. .... D14/206  
D535,286 S 1/2007 Brennwald ..... D14/206  
D535,975 S 1/2007 Brennwald ..... D14/206  
D563,383 S \* 3/2008 Liang ..... D14/205  
D563,384 S \* 3/2008 Hemer ..... D14/206

\* cited by examiner

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,566,313 A \* 9/1951 Cates ..... 181/22  
2,904,640 A \* 9/1959 Dreher et al. .... 379/430  
3,280,273 A \* 10/1966 Flygstad et al. .... 379/430  
3,440,365 A \* 4/1969 Hazell et al. .... 379/430  
D218,173 S \* 7/1970 Hutchings ..... D14/206  
3,588,384 A \* 6/1971 Negley ..... 381/375  
4,090,042 A \* 5/1978 Larkin ..... 379/430  
4,118,606 A \* 10/1978 Larkin ..... 379/430  
4,537,276 A \* 8/1985 Confer ..... 181/21  
4,720,857 A 1/1988 Burris et al. .... 379/430  
D309,305 S \* 7/1990 von Hall ..... D14/225  
D326,268 S \* 5/1992 Le Tixerant ..... D14/253  
5,210,792 A 5/1993 Kajihara ..... 379/430  
D363,487 S 10/1995 Thurnau ..... D14/224  
D375,959 S \* 11/1996 Davis et al. .... D14/223  
D384,958 S \* 10/1997 Shudo ..... D14/206  
5,715,321 A 2/1998 Andrea et al. .... 381/92  
D394,958 S \* 6/1998 Polzin et al. .... D4/137  
D407,089 S \* 3/1999 Norin ..... D14/206  
D409,621 S \* 5/1999 Andrea ..... D14/223  
D420,007 S \* 2/2000 Marshall et al. .... D14/226  
D420,135 S \* 2/2000 Fretz et al. .... D24/173  
D421,755 S 3/2000 Pitel ..... D14/240  
D431,030 S \* 9/2000 Yoon ..... D14/142  
D431,235 S 9/2000 Lyman et al. .... D14/142  
6,198,821 B1 \* 3/2001 Yang ..... 379/420.04  
D441,739 S \* 5/2001 Hayes et al. .... D14/223

*Primary Examiner*—Paula Greene

(74) *Attorney, Agent, or Firm*—Westman, Champlin & Kelly,  
P.A.; Z. Peter Sawicki

(57) **CLAIM**

The ornamental design for a communication headset, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a communication headset showing my new design;

FIG. 2 is a left side elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof;


FIG. 6 is a bottom view thereof;


FIG. 7 is a top view thereof; and,

FIG. 8 is an enlarged perspective view of the flexible transparent ear tube portion as illustrated in FIG. 1, shown separately for purposes of illustration.



The broken lines form no part of the claimed design.


**1 Claim, 5 Drawing Sheets**






*Fig. 1*







*Fig. 4*




*Fig. 5*



*Fig. 6*



*Fig. 7*



*Fig. 8*