

US00D588288S

(12) **United States Design Patent**  
**Kawagoe et al.**

(10) **Patent No.:** **US D588,288 S**  
(45) **Date of Patent:** **\*\* Mar. 10, 2009**

(54) **LAMP FILAMENT**

(75) Inventors: **Shinya Kawagoe**, Kadoma (JP);  
**Naotaka Hashimoto**, Kadoma (JP);  
**Toshiyasu Kojima**, Kadoma (JP); **Taku Ikeda**, Kadoma (JP)

(73) Assignee: **Panasonic Corporation**, Osaka (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/324,672**

(22) Filed: **Sep. 17, 2008**

**Related U.S. Application Data**

(62) Division of application No. 29/289,021, filed on Jun. 29, 2007, now Pat. No. Des. 581,064.

(30) **Foreign Application Priority Data**

Mar. 2, 2007 (JP) ..... 2007-5385  
Mar. 2, 2007 (JP) ..... 2007-5386  
Mar. 2, 2007 (JP) ..... 2007-5387

(51) **LOC (9) Cl.** ..... **26-04**

(52) **U.S. Cl.** ..... **D26/2**

(58) **Field of Classification Search** ..... D26/1-4,  
D26/113; 313/9, 37-38, 578-580, 264, 271-279,  
313/316, 333; 315/46, 49, 64, 66-69  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D15,685 S 1/1885 Hurdle  
D15,839 S 2/1885 Slattery  
D32,396 S 3/1900 Husselman  
2,100,879 A 11/1937 Smith  
2,880,352 A 3/1959 Hart  
3,416,024 A 12/1968 Young  
3,644,776 A \* 2/1972 DeCaro ..... 313/318.01  
3,774,065 A \* 11/1973 Op de Beeck et al. .... 313/344  
3,777,207 A 12/1973 Notelteirs et al.

3,875,443 A 4/1975 Nakamura  
4,297,611 A 10/1981 Cortorillo  
4,568,854 A 2/1986 Westlund, Jr. et al.  
4,739,219 A \* 4/1988 Hume ..... 313/623  
5,252,888 A 10/1993 Topel et al.  
5,451,829 A \* 9/1995 Snyder et al. .... 313/273  
D392,057 S 3/1998 Chen  
D395,714 S 6/1998 Murata  
D395,716 S 6/1998 Murata  
D410,554 S 6/1999 Guyton

(Continued)

**FOREIGN PATENT DOCUMENTS**

JP D1067839 4/2000  
JP D1119354 8/2001  
JP D1129862 12/2001  
JP D1225823 12/2004

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Dana L Sipos

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a lamp filament, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, right side perspective view of a lamp filament showing our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a left side elevation view thereof;


FIG. 5 is a right side elevation view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The bottom portion of the lamp filament shown in broken lines illustrates a portion of the design that forms no part of the claim.

**1 Claim, 7 Drawing Sheets**




# US D588,288 S

Page 2


---

U.S. PATENT DOCUMENTS			
D450,860 S	11/2001	Moriyama et al.	
D512,788 S	12/2005	Komiya et al.	
D520,150 S	5/2006	Komiya et al.	
D578,674 S	* 10/2008	Kawagoe et al. ....	D26/2 * cited by examiner
D579,129 S	* 10/2008	Kawagoe et al. ....	D26/1
D581,062 S	* 11/2008	Kawagoe et al. ....	D26/2
D581,063 S	* 11/2008	Kawagoe et al. ....	D26/2
D581,064 S	* 11/2008	Kawagoe et al. ....	D26/2


**FIG. 1**




**FIG.2**




**FIG.3**




**FIG. 4**



**FIG. 5**



***FIG. 6***





**FIG. 7**

