



US00D588477S

(12) **United States Design Patent**
Wakamatsu et al.

(10) **Patent No.:** **US D588,477 S**
(45) **Date of Patent:** **** Mar. 17, 2009**

(54) **BIO-SENSOR**

(75) Inventors: **Shunichi Wakamatsu**, Saitama (JP);
Shigenori Watanabe, Saitama (JP);
Takayuki Ishikawa, Saitama (JP)

(73) Assignee: **Nihon Dempa Kogyo Co., Ltd.**, Tokyo
(JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/294,262**

(22) Filed: **Dec. 31, 2007**

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/46**

(58) **Field of Classification Search** D10/46;
73/24.06, 580, 778; 310/8.2, 8.9, 320, 344,
310/553, 361, 370; 324/715-719; 333/72;
204/403, 416, 418, 419; 435/288, 291, 817

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,387,328 A * 2/1995 Sohn 257/253
6,776,888 B2 * 8/2004 Yamamoto et al. 204/403.09

* cited by examiner

Primary Examiner—Antoine D Davis

(74) *Attorney, Agent, or Firm*—Edwards Angell Palmer &
Dodge LLP; Scott D. Wofsy

(57) **CLAIM**

The ornamental design for a bio-sensor, as shown and
described.

DESCRIPTION

FIG. 1 is a front view of a bio-sensor of a new design;

FIG. 2 is a back view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a plan view thereof;

FIG. 6 is a bottom view thereof; and,

FIG. 7 is an assembling view showing a condition wherein the
bio-sensor is incorporated in a sensing apparatus.

The broken line showing of structural features are included
for the purpose of illustrating non-claimed subject matter and
forms no part of the claimed design.

1 Claim, 3 Drawing Sheets




FIG.1




FIG.2




FIG.3



FIG.4



FIG.5



FIG.6



FIG.7

