



US00D588552S

(12) **United States Design Patent**
Radau et al.

(10) **Patent No.:** **US D588,552 S**
(45) **Date of Patent:** **** Mar. 17, 2009**

(54) **DEVICE FOR CONTROLLING**

(75) Inventors: **Nils Radau**, Salzburg (AT); **Joerg Schaefer**, Rheinbach (DE); **Wilfried Kuepper**, Bad Neuenahr-Ahrweiler (DE); **Artur Wiese**, Bornheim (DE)

(73) Assignee: **Moelle GmbH**, Bonn (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/302,672**

(22) Filed: **Jan. 22, 2008**

Related U.S. Application Data

(62) Division of application No. 29/280,330, filed on May 24, 2007, now Pat. No. Des. 563,902.

(30) **Foreign Application Priority Data**

Nov. 24, 2006 (DE) 4 06 05 979

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/162**

(58) **Field of Classification Search** D13/110,
D13/123, 147, 151, 158-177, 184; D14/240,
D14/433, 434, 356-358; 361/686; 439/639,
439/271, 535, 652, 715-716, 736
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D211,952 S * 8/1968 Ettinger D13/110
D281,493 S * 11/1985 Prager et al. D13/162.1

4,558,914 A * 12/1985 Prager et al. 439/259
D338,448 S * 8/1993 Onyszko D13/162
5,984,734 A * 11/1999 Piper et al. 439/717
6,172,875 B1 * 1/2001 Suzuki et al. 361/729
D464,326 S * 10/2002 Clark et al. D13/162
D537,044 S * 2/2007 Weitz et al. D13/151
D537,794 S * 3/2007 Sasaki et al. D13/159
D541,754 S * 5/2007 Sasaki et al. D13/159
D548,193 S * 8/2007 Sandgren et al. D13/162
2006/0256541 A1 * 11/2006 Sandgren et al. 361/796

* cited by examiner

Primary Examiner—Daniel Bui

Assistant Examiner—Thomas J Johannes

(74) *Attorney, Agent, or Firm*—Darby & Darby

(57) **CLAIM**

The ornamental design for a device for controlling, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of the device for controlling showing our new design;

FIG. 2 is a bottom, right side and rear perspective view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a front view thereof; and,

FIG. 6 is a top view thereof.

The broken line showing in the figure drawings is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig 4




Fig. 5





Fig. 6



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 588,552 S
APPLICATION NO. : 29/302672
DATED : March 17, 2009
INVENTOR(S) : Nils Radau et al.


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Title of the patent, Item [73] under Assignee, please delete “Moelle GmbH” and insert -- Moeller GmbH -- therefor.

Signed and Sealed this

Eighteenth Day of August, 2009

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style with a large initial 'D' and 'K'.

David J. Kappos
Director of the United States Patent and Trademark Office