



US00D588644S

(12) **United States Design Patent**  
**Kobayashi**

(10) **Patent No.:** **US D588,644 S**  
(45) **Date of Patent:** **\*\* Mar. 17, 2009**

(54) **COATING TRANSFER DEVICE**

(75) Inventor: **Kenji Kobayashi**, Tokyo (JP)

(73) Assignee: **Tombow Pencil Co., Ltd.**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/285,779**

(22) Filed: **Apr. 10, 2007**

(30) **Foreign Application Priority Data**

Oct. 20, 2006 (JP) ..... 2006-028593

(51) **LOC (9) Cl.** ..... **19-02**

(52) **U.S. Cl.** ..... **D19/69**

(58) **Field of Classification Search** ..... D19/70,  
D19/69, 36, 68; 242/588.6, 588.2; 225/77,  
225/6, 56, 39, 26, 25, 19, 11; 206/411; 156/577,  
156/527, 523

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D418,165	S *	12/1999	Katami	.....	D19/69
6,059,002	A *	5/2000	Katami	.....	156/541
6,145,770	A *	11/2000	Manusch et al.	.....	242/422.4
D435,595	S *	12/2000	Kimura	.....	D19/69
6,270,578	B1 *	8/2001	Murakoshi	.....	118/257
6,273,169	B1 *	8/2001	Ono et al.	.....	156/540
6,599,363	B2 *	7/2003	Narita	.....	118/76
6,620,239	B2 *	9/2003	Yen	.....	118/76
6,712,113	B1 *	3/2004	Peggion	.....	156/577
6,761,200	B2 *	7/2004	Shinya	.....	156/577
6,776,209	B1 *	8/2004	You	.....	156/577
D559,322	S *	1/2008	Kobayashi	.....	D19/69
2002/0104621	A1 *	8/2002	Tamai et al.	.....	156/577
2003/0034133	A1 *	2/2003	Huthmacher	.....	156/577
2003/0047286	A1 *	3/2003	Narita	.....	156/577
2004/0154752	A1 *	8/2004	Huthmacher et al.	.....	156/577
2005/0139326	A1 *	6/2005	Mitsui et al.	.....	156/540

\* cited by examiner

*Primary Examiner*—Cathron C Brooks

*Assistant Examiner*—Austin Murphy

(74) *Attorney, Agent, or Firm*—Scotts D. Wofsy; Edwards Angell Palmer & Dodge LLP

(57) **CLAIM**

I claim the ornamental design for the coating transfer device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the coating transfer device with the protection cap in a protective position;

FIG. 2 is a rear view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a side view thereof;

FIG. 6 is a perspective view of the coating transfer device with the protection cap in a partially opened position;

FIG. 7 is a front view of the protection cap in a fully opened position;

FIG. 8 is a rear view of FIG. 7;

FIG. 9 is a bottom view of FIG. 7;

FIG. 10 is a side view of FIG. 7;

FIG. 11 is an enlarged partial front view of the of the protection cap shown separately for completeness of illustration;

FIG. 12 is a rear view of FIG. 12;

FIG. 13 is a top view of FIG. 12;


FIG. 14 is a bottom view of FIG. 12;


FIG. 15 is a right side view of FIG. 12; and,

FIG. 16 is a left side view of FIG. 12.


The broken line showing of the elements of the coating transfer device is for the purpose of illustrating unclaimed portions of the design and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






**Fig. 1**




**Fig. 2**




**Fig. 3**




**Fig. 4**




**Fig. 5**




**Fig. 6**




**Fig. 7**




**Fig. 8**




**Fig. 9**




**Fig. 10**




**Fig. 11**




**Fig. 12**




**Fig. 13**



**Fig. 14**



**Fig. 15**



**Fig. 16**