



US00D588672S

(12) **United States Design Patent**
Swan

(10) **Patent No.:** **US D588,672 S**
(45) **Date of Patent:** **** Mar. 17, 2009**

(54) **ACCESSORY MOUNT**

(76) Inventor: **Richard E. Swan**, 171 West St., E.
Bridgewater, MA (US) 02333

(**) Term: **14 Years**

(21) Appl. No.: **29/306,896**

(22) Filed: **Apr. 18, 2008**

(51) **LOC (9) Cl.** **22-01**

(52) **U.S. Cl.** **D22/109**

(58) **Field of Classification Search** D22/100,
D22/108-110, 199; 42/85, 90, 112, 124-128,
42/143, 71.01, 75.01; 89/37.03, 37.04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,428,655	A	9/1922	Noske
2,161,051	A	6/1939	Humeston
2,436,948	A	3/1948	Williams
2,790,241	A	4/1957	Dickenson
2,810,963	A	10/1957	Harper
3,276,377	A	10/1966	Bell
3,877,166	A	4/1975	Ward
4,027,414	A	6/1977	Felix
4,085,511	A	4/1978	Kovac
4,249,315	A	2/1981	Hopson, III
4,310,980	A	1/1982	Pilkington
4,722,496	A	2/1988	Hermann et al.
4,845,871	A	7/1989	Swan
4,860,480	A	8/1989	Ruger
4,905,396	A	3/1990	Bechtel
4,934,085	A	6/1990	Lough
5,142,806	A	9/1992	Swan
5,155,915	A	10/1992	Repa
5,276,988	A	1/1994	Swan
5,375,361	A	12/1994	Rustick
5,533,292	A	7/1996	Swan
5,590,484	A	1/1997	Mooney et al.
5,606,818	A	3/1997	Hardee
5,669,173	A	9/1997	Rodney, Jr.
5,680,725	A	10/1997	Bell
5,694,712	A	12/1997	Plonka

5,941,489	A *	8/1999	Fanelli et al.	248/298.1
6,295,754	B1	10/2001	Otteman et al.		
6,363,648	B1	4/2002	Kranich et al.		
6,442,883	B1	9/2002	Waterman et al.		
6,449,893	B2	9/2002	Spinner		
6,490,822	B1	12/2002	Swan		

(Continued)

FOREIGN PATENT DOCUMENTS

DE 2006011542 U 12/2006

OTHER PUBLICATIONS

TM9-4931-710-14&P, Technical Manual, Operator, Organizational, Direct Support and General Support Maintenance Manual, Headquarters, Department of the Army. Aug. 1986.

Primary Examiner—Cathron C Brooks

Assistant Examiner—Melanie Levy

(74) *Attorney, Agent, or Firm*—Barlow, Josephs & Holmes, Ltd.

(57) **CLAIM**

The ornamental design for an accessory mount, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the accessory mount in accordance with the present invention;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;


FIG. 6 is a rear view thereof;

FIG. 7 is a front view thereof; and,

FIG. 8 is a perspective view of the accessory mount with an actuator lever and buffer pad shown for environmental purposes.

The features depicted in broken lines have been shown for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D588,672 S

Page 2

U.S. PATENT DOCUMENTS

6,508,027	B1 *	1/2003	Kim	42/124	7,272,904	B2	9/2007	Larue	
6,513,276	B2	2/2003	Mendoza-Orozco		D573,443	S *	7/2008	Swan	D8/343
6,598,330	B2	7/2003	Garrett et al.		2003/0106251	A1 *	6/2003	Kim	42/71.01
6,598,333	B1	7/2003	Randazzo et al.		2004/0000083	A1	1/2004	Grant, Jr.	
6,629,381	B1	10/2003	Keng		2004/0148842	A1	8/2004	Aalto et al.	
6,922,934	B1	8/2005	Huan		2005/0000142	A1 *	1/2005	Kim et al.	42/124
6,931,778	B1	8/2005	Nelson et al.		2006/0162227	A1	7/2006	Samson	
D537,499	S *	2/2007	Swan	D22/110	2006/0207156	A1	9/2006	Larue	
D548,811	S *	8/2007	Swan	D22/109	2007/0234623	A1	10/2007	Carney	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8