



US00D588732S

(12) **United States Design Patent**  
**Hsu**

(10) **Patent No.:** **US D588,732 S**  
(45) **Date of Patent:** **\*\* Mar. 17, 2009**

(54) **VEHICLE REAR LIGHT UNIT**

(76) Inventor: **Hong Ming Hsu**, No 152, Sec 2, Funong St. East District, Tainan City (TW) 701

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/323,505**

(22) Filed: **Aug. 27, 2008**

(51) **LOC (9) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Classification Search** ..... D26/28-36;  
362/459-468, 475-478, 485-487  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D549,363 S *	8/2007	Pfeiffer	.....	D26/28
D552,769 S *	10/2007	Leclercq	.....	D26/28
D553,268 S *	10/2007	Pfeiffer	.....	D26/28
D560,292 S *	1/2008	Sato	.....	D26/28

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Alexander Chen, Esq.

(57) **CLAIM**

The ornamental design for an exterior surface configuration of a vehicle rear light unit, as shown and described.

**DESCRIPTION**

FIG. 1 is perspective view from the front left of an exterior surface configuration of a vehicle rear light. The drawings and descriptions represent the left side embodiment. The design also contemplates a mirror symmetrical embodiment on the right side of the vehicle. The dash line included denotes environment and is not part of the claimed design

FIG. 2 is a front elevation view thereof;


FIG. 3 is a left elevation view thereof, and

FIG. 4 is a top view thereof;

FIG. 5 is an exploded perspective view from the front right thereof; and,

FIG. 6 is an exploded front elevation view thereof.

**1 Claim, 6 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6