



US00D588771S

(12) **United States Design Patent**  
**Powell**

(10) **Patent No.:** **US D588,771 S**  
(45) **Date of Patent:** **\*\* Mar. 17, 2009**

(54) **SOLEPLATE FOR LAUNDRY IRON**

(75) Inventor: **Dick Powell**, London (GB)

(73) Assignee: **Calor**, Lyon (FR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/319,031**

(22) Filed: **Jun. 3, 2008**

(30) **Foreign Application Priority Data**

Dec. 4, 2007 (FR) ..... 07/5490

(51) **LOC (9) Cl.** ..... **07-05**

(52) **U.S. Cl.** ..... **D32/71**

(58) **Field of Classification Search** ..... D32/68-73;  
38/69, 74-75, 77.1-77.9, 88.81, 93, 81; 248/117.1-117.7;  
219/245, 249

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,142,916	A *	8/1964	Jacobson	.....	38/97
4,634,836	A *	1/1987	Yamac	.....	219/249
5,014,454	A *	5/1991	Maurin et al.	.....	38/93
D330,965	S *	11/1992	Paulin	.....	D32/71
D338,575	S *	8/1993	Takaya et al.	.....	D6/467
5,532,455	A *	7/1996	Bouleau et al.	.....	219/245
D376,455	S	12/1996	Loomis		
D381,153	S	7/1997	Loomis		
D388,575	S	12/1997	Naft		

(Continued)

**FOREIGN PATENT DOCUMENTS**

FR	027549-001	10/1993
FR	964141-001	7/1996
FR	964141-002	7/1996
FR	973450-001	6/1997
FR	973973-001	7/1997
FR	042092-001	11/1997

FR	976924-001	11/1997
FR	976924-002	11/1997
FR	976924-003	11/1997
FR	976924-004	11/1997
FR	046847-001	11/1998
FR	993588-001	6/1999
FR	993588-002	6/1999
FR	994531-001	7/1999
FR	994531-002	7/1999
FR	050357-001	1/2005
FR	066968-001	6/2005
FR	055454-001	11/2005
FR	063181-001	7/2006
FR	063181-002	7/2006
FR	080210-001	1/2008
FR	080210-002	1/2008

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/319,031, filed Jun. 3, 2008, Powell.

U.S. Appl. No. 29/319,032, filed Jun. 3, 2008, Powell.

*Primary Examiner*—Pamela J Burgess

(74) *Attorney, Agent, or Firm*—Oblon, Spivak, McClelland, Maier & Neustadt, P.C.

(57) **CLAIM**

The ornamental design for a soleplate for laundry iron, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, right view of the soleplate for laundry iron, showing my design;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;


FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a right view thereof; and,

FIG. 7 is a left view thereof.

**1 Claim, 7 Drawing Sheets**



# US D588,771 S

Page 2

---

## U.S. PATENT DOCUMENTS

D396,915 S *	8/1998	McIntyre .....	D32/71	D501,692 S	2/2005	Powell	
D429,048 S *	8/2000	Brady .....	D32/71	D502,791 S	3/2005	Garner et al.	
D441,157 S *	4/2001	Powell .....	D32/71	D502,792 S	3/2005	Garner et al.	
D441,158 S *	4/2001	Stutzer et al. ....	D32/71	D519,699 S *	4/2006	Lee .....	D32/71
D441,931 S *	5/2001	Powell .....	D32/71	D560,322 S *	1/2008	Massip et al. ....	D32/71

\* cited by examiner




Figure 1




Figure 2




Figure 3



Figure 4




Figure 5



Figure 6






Figure 7