



US00D588812S

(12) **United States Design Patent**
Springston

(10) **Patent No.:** **US D588,812 S**

(45) **Date of Patent:** **** Mar. 24, 2009**

(54) **BOLO CLOSURE BAG**

(75) **Inventor:** **Tom Springston**, 718 S. Echo St.,
Anaheim, CA (US) 92804

(73) **Assignee:** **Tom Springston**, Anaheim, CA (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/276,769**

(22) **Filed:** **Feb. 5, 2007**

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D3/303; D3/244; D3/202**

(58) **Field of Classification Search** D3/232,
D3/233, 234, 235, 237, 238, 239, 240, 241,
D3/244, 245, 246, 303, 318, 319, 321, 322,
D3/323, 324, 325, 326, 900, 202; 150/100,
150/106, 107, 108, 110, 111, 112, 117, 118;
D9/706, 516, 517, 544, 545; 383/6, 13, 25,
383/37, 38, 41, 42, 66, 67, 70, 71, 72, 73,
383/74, 77; D2/607; 24/66.9; 190/100,
190/108, 109, 111, 112, 113, 115, 116, 119,
190/121, 900, 903

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,573,590	A *	2/1926	Wallace	383/71
D118,076	S *	12/1939	Murphy	D3/244
D156,059	S *	11/1949	Vivaudou	D9/617
D180,474	S *	6/1957	Desbrow	D2/607
2,799,611	A *	7/1957	Dreisbach	156/70
2,890,459	A *	6/1959	Waterhouse	2/150
D241,284	S *	9/1976	Johnston	D2/607
D261,075	S *	10/1981	Dolas	D3/244
D296,870	S *	7/1988	Myers	D9/706
4,869,305	A *	9/1989	Jones	150/155
4,912,814	A *	4/1990	McKenzie	24/115 H
D309,257	S *	7/1990	Myers	D9/706
5,033,613	A *	7/1991	Liggett	383/72
D344,850	S *	3/1994	Galmines et al.	D2/607

D355,300	S *	2/1995	Smith et al.	D3/287
D358,019	S *	5/1995	Lakin	D2/607
5,416,925	A *	5/1995	Davis	2/144
5,456,062	A *	10/1995	Wechsler	53/468
D374,975	S *	10/1996	Vargas et al.	D3/202
5,765,227	A *	6/1998	Wright	2/144
D441,278	S *	5/2001	Remar	D9/706
6,564,838	B1 *	5/2003	Cruickshank	150/118
D542,151	S *	5/2007	Sutton et al.	D9/706

* cited by examiner

Primary Examiner—Philip S Hyder
Assistant Examiner—Roselyne Cody

(57) **CLAIM**

The ornamental design for a bolo closure bag, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the bolo closure bag of the present invention with the bolo cord in a partially loosened position;

FIG. 2 is a front elevational view of the bag with the bolo cord fully tightened around the neck of the bottle;

FIG. 3 is a left-side elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view of thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a right-side elevational view thereof;


FIG. 8 is a perspective view of the bolo closure bag of the present invention illustrating alternate cord ends with the bolo cord in a partially loosened position;

FIG. 9 is a front elevational view of the bag with the bolo cord of FIG. 8 fully tightened around the neck of the bottle; and,

FIG. 10 is a left-side elevational view thereof.

The broken lines in the figures are directed to environment only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10