



US00D588905S

(12) **United States Design Patent**
Meeks et al.

(10) **Patent No.:** **US D588,905 S**
(45) **Date of Patent:** **** Mar. 24, 2009**

(54) **CORNER PAD FOR A DOOR ASSEMBLY**

(75) Inventors: **James W. Meeks**, Eaton, OH (US);
Brian S. Hewitt, Eaton, OH (US)

(73) Assignee: **Qu Anex Corporation**, Houston, TX
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/282,352**

(22) Filed: **Jul. 17, 2007**

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/400**

(58) **Field of Classification Search** D8/47,
D8/346, 400-499; 16/82, 86 A, 86 R, 86 B,
16/DIG. 17; 292/251.5, 340, 17, DIG. 15,
292/241.5; D6/300, 320, 323, 328; D28/73;
D21/388; 267/140; D11/132; 49/469, 476.1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,676,888	A *	7/1972	Akers	15/245
D233,586	S *	11/1974	Kopp	D32/46
3,851,420	A	12/1974	Tibbetts	
D368,344	S *	3/1996	Hansen	D32/46
5,857,291	A	1/1999	Headrick	
6,219,971	B1 *	4/2001	Headrick	49/469
6,223,477	B1 *	5/2001	Alley	52/24
6,491,326	B1	12/2002	Massey et al.	
6,637,158	B2	10/2003	Bennett	
D481,625	S *	11/2003	Ellsworth	D8/402
6,665,989	B2	12/2003	Bennett	
D578,872	S *	10/2008	Healy	D8/402
2002/0035810	A1 *	3/2002	Bennett	52/287.1

2003/0052492	A1	3/2003	Massey et al.	
2004/0139667	A1	7/2004	Massey et al.	
2006/0150517	A1	7/2006	Meeks et al.	
2007/0079557	A1	4/2007	Pepper et al.	
2007/0227076	A1 *	10/2007	Braun	49/505
2008/0010904	A1 *	1/2008	Meeks et al.	49/484.1

OTHER PUBLICATIONS

U.S. Appl. No. 11/690,617, filed Mar. 23, 2007, entitled "Astragal Boot", Applicant: James Meeks.
U.S. Appl. No. 11/690,646, filed Mar. 23, 2007, entitled "Lock Block Assembly For An Astragal", Applicant: James Meeks.

* cited by examiner

Primary Examiner—Cathron C Brooks
Assistant Examiner—Barbara Fox
(74) *Attorney, Agent, or Firm*—Howard & Howard Attorneys PLLC


(57) **CLAIM**

The ornamental design for a corner pad for a door assembly, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a corner pad for a door assembly;
FIG. 2 is a front view of the corner pad of FIG. 1;
FIG. 3 is a rear view of the corner pad of FIG. 1;
FIG. 4 is a left side view of the corner pad of FIG. 1;
FIG. 5 is a right side view of the corner pad of FIG. 1;
FIG. 6 is a top view of the corner pad of FIG. 1; and,
FIG. 7 is a bottom view of the corner pad of FIG. 1.

1 Claim, 1 Drawing Sheet






FIG - 1




FIG - 2




FIG - 3




FIG - 4



FIG - 5



FIG - 6




FIG - 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 588,905 S
APPLICATION NO. : 29/282352
DATED : March 24, 2009
INVENTOR(S) : James W. Meeks et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page, Item (73) Assignee: Delete "Qu Anex" and insert therein --QUANEX--.

Signed and Sealed this

First Day of September, 2009



David J. Kappos
Director of the United States Patent and Trademark Office