



US00D588932S

(12) **United States Design Patent**  
**Murray**

(10) **Patent No.:** **US D588,932 S**  
(45) **Date of Patent:** **\*\* Mar. 24, 2009**

- (54) **FLEXIBLE POUCH WITH HANGING APERTURE**
- (75) Inventor: **R. Charles Murray**, Lakewood Ranch, FL (US)
- (73) Assignee: **Pouch Pac Innovations, LLC**, Sarasota, FL (US)

- 4,848,421 A 7/1989 Froese et al.
- 4,999,978 A 3/1991 Kohlbach et al.
- 5,222,535 A 6/1993 Roders
- 5,267,591 A 12/1993 Wakabayashi et al.
- 5,433,526 A 7/1995 Wild et al.
- 5,485,714 A 1/1996 Montalvo
- D435,440 S 12/2000 Croft et al.
- 6,199,601 B1 3/2001 Laudenberg et al.

- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/306,508**
- (22) Filed: **Apr. 10, 2008**

(Continued)

*Primary Examiner*—Caron Veynar  
*Assistant Examiner*—Abraham Bahta  
 (74) *Attorney, Agent, or Firm*—Gifford, Krass, Sprinkle, Anderson & Citkowski, P.C.

**Related U.S. Application Data**

- (63) Continuation of application No. 11/683,133, filed on Mar. 7, 2007, now abandoned.

- (51) **LOC (9) Cl.** ..... **09-05**
- (52) **U.S. Cl.** ..... **D9/707**
- (58) **Field of Classification Search** ..... D9/702–703, D9/705, 707, 710, 714, 434–435, 522, 696; 206/822; 383/61.1, 63, 80.81, 103.104, 203, 383/901; 222/92, 107  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 733,449 A 7/1903 Willsie
- 2,189,174 A 2/1940 Hohl
- 2,703,671 A 3/1955 Kindseth
- 3,286,005 A 11/1966 Cook
- 3,304,977 A 2/1967 Hammons
- 3,924,008 A 12/1975 Ford et al.
- 4,078,717 A 3/1978 Stearley
- 4,326,568 A 4/1982 Burton et al.
- 4,361,235 A 11/1982 Gautier et al.
- 4,498,591 A 2/1985 Smith, II
- 4,717,046 A 1/1988 Brogli et al.

(57) **CLAIM**

The ornamental design for flexible pouch with hanging aperture, as shown and described.

**DESCRIPTION**

FIG. 1 is an elevational view of a front side of a flexible pouch with hanging aperture;

FIG. 2 is an elevational side view of the flexible pouch with hanging aperture, the opposite side being a mirror image thereof;

FIG. 3 is an elevational view of a back side of the flexible pouch with hanging aperture;


FIG. 4 is a bottom plan view of the flexible pouch with hanging aperture;

FIG. 5 is a top plan view of the flexible pouch with hanging aperture; and,

FIG. 6 is a perspective view of the flexible pouch with hanging aperture.

The broken lines shown in the drawing are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



# US D588,932 S

Page 2

(Continued)

## U.S. PATENT DOCUMENTS

D442,078 S 5/2001 Fuquen  
D446,445 S 8/2001 Croft et al.  
6,422,753 B1 7/2002 Thomas  
D463,275 S 9/2002 Garcia et al.  
D490,303 S \* 5/2004 Berman ..... D9/708  
D502,092 S 2/2005 Berman  
D504,610 S \* 5/2005 Berman ..... D9/708  
D509,144 S 9/2005 Snyder  
D519,848 S \* 5/2006 Kirou et al. .... D9/707  
D526,573 S 8/2006 Ueda et al.

D527,278 S 8/2006 Ueda et al.  
D528,011 S 9/2006 Ueda et al.  
D532,703 S \* 11/2006 Wild ..... D9/708  
D551,568 S 9/2007 Berman  
D553,008 S 10/2007 Berman  
D557,614 S \* 12/2007 Murray ..... D9/708  
D558,594 S \* 1/2008 Kirou et al. .... D9/707  
D558,596 S 1/2008 Berman  
D563,242 S \* 3/2008 Murray ..... D9/708  
D563,243 S \* 3/2008 Murray ..... D9/710  
D571,672 S \* 6/2008 Murray ..... D9/710  
D573,037 S \* 7/2008 Murray ..... D9/710

\* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6