



US00D588997S

(12) **United States Design Patent**  
**Hunt, Sr.**

(10) **Patent No.:** **US D588,997 S**

(45) **Date of Patent:** **\*\* Mar. 24, 2009**

(54) **TRI-COVED ELECTRICAL CORD**  
(76) Inventor: **William A. Hunt, Sr.**, 533 Toomey La.,  
Madisonville, TN (US) 37354

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/301,119**

(22) Filed: **Feb. 11, 2008**

(51) **LOC (9) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/153**

(58) **Field of Classification Search** ..... D13/133,  
D13/153, 154, 156; 439/352, 358, 502, 607-610,  
439/680; 174/95, 71 R, 88 R, 117 F, 117 R,  
174/504 A

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|              |         |                 |         |
|--------------|---------|-----------------|---------|
| 2,230,734 A  | 2/1941  | Van Antwerp     |         |
| 4,454,374 A  | 6/1984  | Pollack         |         |
| D296,322 S   | 6/1988  | Collins         |         |
| D326,257 S * | 5/1992  | Lee et al. .... | D13/156 |
| D406,428 S   | 3/1999  | Pyle            |         |
| D408,365 S   | 4/1999  | Sanders         |         |
| D430,541 S * | 9/2000  | Lee et al. .... | D13/153 |
| D445,093 S   | 7/2001  | Staskey         |         |
| 6,301,752 B1 | 10/2001 | Koppang         |         |

|              |         |                   |         |
|--------------|---------|-------------------|---------|
| D455,404 S * | 4/2002  | Owens et al. .... | D13/153 |
| 6,425,165 B2 | 7/2002  | Koppang           |         |
| D464,875 S   | 10/2002 | Koppang           |         |
| D489,336 S * | 5/2004  | Kitamura ....     | D13/153 |
| 6,740,818 B2 | 5/2004  | Clark             |         |
| D509,802 S   | 9/2005  | Davison           |         |

\* cited by examiner

*Primary Examiner*—Brian N Vinson

(74) *Attorney, Agent, or Firm*—Robert C. Montgomery;  
Eugene A. Vittone, II

(57) **CLAIM**

The ornamental design for a tri-coved electrical cord, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tri-coved electrical cord, as shown and described;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;


FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

**1 Claim, 7 Drawing Sheets**






Fig 1




Fig 2




Fig 3




Fig 4




Fig 5




Fig 6




Fig 7