



US00D589056S

(12) **United States Design Patent**
Matsuoka et al.

(10) **Patent No.:** **US D589,056 S**
(45) **Date of Patent:** **** Mar. 24, 2009**

(54) **ENGINE**

D453,522 S * 2/2002 Maeda et al. D15/1
D525,990 S * 8/2006 Ono et al. D15/1

(75) Inventors: **Takeshi Matsuoka**, Hitachinaka (JP);
Masanori Okada, Hitachinaka (JP);
Masato Sakai, Hitachinaka (JP)

* cited by examiner

(73) Assignee: **Hitachi Koki Co., Ltd.** (JP)

Primary Examiner—Lisa P Lichtenstein

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Sughrue Mion, PLLC

(21) Appl. No.: **29/306,163**

(57) **CLAIM**

(22) Filed: **Apr. 3, 2008**

The ornamental design for an engine, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Oct. 3, 2007 (JP) 2007-027057

(51) **LOC (9) Cl.** **15-01**

FIG. 1 is a perspective view of the engine;

(52) **U.S. Cl.** **D15/1**

FIG. 2 is a front view thereof;

(58) **Field of Classification Search** D15/1,
D15/3, 5, 17; 123/50 A, 50 B, 50 R, 198 E,
123/306, 308, 667, 41.7, 70 R

FIG. 3 is a rear view thereof;

See application file for complete search history.

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

(56) **References Cited**


FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

U.S. PATENT DOCUMENTS

D416,265 S * 11/1999 Kato et al. D15/1

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7