

(12) United States Design Patent US D589,360 S (10) Patent No.: ****** Mar. 31, 2009 Alexander (45) **Date of Patent:**

BOTTLE (54)

- John Alexander, New York, NY (US) (75)Inventor:
- Assignee: Globefill Inc., Ontario (CA) (73)
- (**)14 Years Term:
- Appl. No.: 29/303,016 (21)

D483,905 S * 12/2003 Berounsky D26/126 * cited by examiner

Primary Examiner—Sandra Morris (74) Attorney, Agent, or Firm—Baker & Hostetler LLP

(57)CLAIM

The ornamental design for a bottle, as shown and described.

(22) Filed: Jan. 30, 2008

(30)	For	Foreign Application Priority Data			
Feb. 10	0, 2007	(CA)	•••••••••••••••••	122529	

- LOC (9) Cl. 09-01 (51)(52)Field of Classification Search D7/514–517; (58)
- D9/600-601, 614, 620, 623-626; D11/128; D21/658–661

See application file for complete search history.

(56)**References** Cited

U.S. PATENT DOCUMENTS

D23,399 S	*	6/1894	Lee	D9/626
D420,903 S	*	2/2000	Liberty	D9/625
D459,213 S	*	6/2002	Buboltz et al	D9/626

DESCRIPTION

FIG. 1 is a left side perspective view of the bottle, particularly showing the inventive design thereof, the skull is transparent, but is not shown for ease of illustration; FIG. 2 is a front view of the bottle shown in FIG. 1; FIG. 3 is a rear view of the bottle shown in FIG. 1; FIG. 4 is a left side view of the bottle shown in FIG. 1, the right side view of the bottle being a mirror image thereof; FIG. 5 is a top view of the bottle shown in FIG. 1, the skull is transparent, but is not shown for ease of illustration; and, FIG. 6 is a bottom view of the bottle shown in FIG. 1, the skull is transparent, but is not shown for ease of illustration. The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



U.S. Patent Mar. 31, 2009 Sheet 1 of 6 US D589,360 S





FIG. 1

U.S. Patent Mar. 31, 2009 Sheet 2 of 6 US D589,360 S





U.S. Patent Mar. 31, 2009 Sheet 3 of 6 US D589,360 S





U.S. Patent Mar. 31, 2009 Sheet 4 of 6 US D589,360 S





U.S. Patent Mar. 31, 2009 Sheet 5 of 6 US D589,360 S



FIG. 5

U.S. Patent Mar. 31, 2009 Sheet 6 of 6 US D589,360 S



FIG. 6