



US00D589461S

(12) **United States Design Patent**
Gastelum et al.

(10) **Patent No.:** **US D589,461 S**

(45) **Date of Patent:** **** Mar. 31, 2009**

(54) **REMOTE CONTROL DEVICE**

(75) Inventors: **Damion B. Gastelum**, San Diego, CA (US); **Neil Burns**, San Diego, CA (US); **Srinivas Raghavan**, San Diego, CA (US); **John Cunningham**, Oceanside, CA (US)

(73) Assignee: **QUALCOMM Incorporated**, San Diego, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/262,340**

(22) Filed: **Jun. 28, 2006**

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/168**

(58) **Field of Classification Search** D13/162, D13/164, 168; D10/104, 106; D14/138, D14/218, 247, 402, 496; 340/825.22, 825.24, 340/825.25, 825.31, 825.36, 825.69, 825.72; 341/20, 22, 23, 34, 176; 345/156, 158, 169; 348/734; 455/92, 95, 100, 128, 151.1-151.4, 455/352-355; 463/39; 700/17, 19, 20, 65, 700/83; 701/2; D21/324

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D309,449	S	*	7/1990	MacDonald et al.	D14/404
D343,173	S	*	1/1994	Soren	D14/148
5,367,298	A		11/1994	Axthelm		
D381,702	S	*	7/1997	Ho et al.	D21/324
D405,424	S		2/1999	Winkler et al.		
D460,053	S	*	7/2002	Choi	D13/168
D468,274	S	*	1/2003	Novak	D13/168
D515,038	S	*	2/2006	Riley	D13/162
D516,545	S	*	3/2006	Lai	D14/218
D524,298	S		7/2006	Hedderich et al.		

D526,623	S	*	8/2006	Yin et al.	D13/168
D530,343	S	*	10/2006	Maruyama et al.	D14/496
D534,870	S	*	1/2007	Metschen et al.	D13/162
D541,783	S	*	5/2007	Lee	D14/138
D543,172	S	*	5/2007	Lee et al.	D14/138
D543,545	S	*	5/2007	Fisher	D14/402

FOREIGN PATENT DOCUMENTS

JP D1148928 7/2002

* cited by examiner

Primary Examiner—Selina Sikder

(74) *Attorney, Agent, or Firm*—Richard A. Bachand; Ashish L. Patel; Thomas Rouse

(57) **CLAIM**

The ornamental design for a remote control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the remote control device showing the new design in an operational orientation;

FIG. 2 is a top plan view of the remote control device shown in FIG. 1;

FIG. 3 is a bottom plan view of the remote control device shown in FIG. 1;

FIG. 4 is a right side view of the remote control device shown in FIG. 1;


FIG. 5 is a left side view of the remote control device shown in FIG. 1;

FIG. 6 is a rear view of the remote control device shown in FIG. 1; and,

FIG. 7 is a front view of the remote control device shown in FIG. 1.

Features shown by broken lines are for illustrative purposes only, and are not claimed as part of the invention.

1 Claim, 4 Drawing Sheets






FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7