



US00D590281S

(12) **United States Design Patent**
Kiesel

(10) **Patent No.:** **US D590,281 S**
(45) **Date of Patent:** **** Apr. 14, 2009**

(54) **LASER DISTANCE MEASURING DEVICE**
(75) Inventor: **Mirko Kiesel**, Munich (DE)
(73) Assignee: **Leica Geosystems AG**, Heerbrugg (CH)
(**) Term: **14 Years**

D539,680 S * 4/2007 Liu et al. D10/70
D545,226 S * 6/2007 Azuma D10/70
7,230,683 B2 * 6/2007 Stierle et al. 356/4.01
D559,981 S * 1/2008 Williams D10/70
7,358,959 B2 * 4/2008 Fitzsimmons, Jr. 345/169
D574,276 S * 8/2008 Burkandt D10/70
D576,895 S * 9/2008 Burkandt D10/70
D578,416 S * 10/2008 Concari D10/70

(21) Appl. No.: **29/310,181**
(22) Filed: **Jul. 30, 2008**

OTHER PUBLICATIONS

Swissregbilderliste—Design CH, Design-Nr. 134341, Swiss Federal Institute of Intellectual Property, Dec. 19, 2007.

* cited by examiner

(30) **Foreign Application Priority Data**
Feb. 25, 2008 (EM) DM/069.869

Primary Examiner—Antoine D Davis
(74) *Attorney, Agent, or Firm*—Abelman, Frayne & Schwab

(51) **LOC (9) Cl.** **10-04**
(52) **U.S. Cl.** **D10/70; D10/69**
(58) **Field of Classification Search** D10/78,
D10/69–70; 33/1 CC, 276, 277, 281, 285,
33/286, 290, 291–299, DIG. 21; 356/3.01,
356/4.01, 5.1, 5.15, 147, 5.01, 5.08, 4.05,
356/5.07, 5.09, 5.12, 28.5, 138, 139.3, 141.3,
356/142.345, 375, 3, 5.06, 128–155, 399,
356/400; 73/290 V; 342/118; 340/573.1–573.4,
340/539, 825.36, 825.46, 825.49, 357.02;
385/83, 97, 98, 99, 134–139; 701/211–213;
702/150, 158, 208

(57) **CLAIM**

The ornamental design for a laser distance measuring device (elliptical), as shown and described.

See application file for complete search history.

DESCRIPTION


FIG. 1 is a top, plan view of the laser distance measurement device (elliptical) of my invention;
FIG. 2 is a front view thereof;
FIG. 3 is a top, left side plan view;
FIG. 4 is a bottom view thereof; and,
FIG. 5 is a rear view thereof.

(56) **References Cited**
U.S. PATENT DOCUMENTS

The features shown in broken lines form no part of the claimed design.

D478,824 S * 8/2003 Concari D10/69

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 5





FIG. 3

FIG. 4



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 590,281 S
APPLICATION NO. : 29/310181
DATED : April 14, 2009
INVENTOR(S) : Mirko Kiesel

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,
in item (30), “(EM)” should be changed to --(WO)--.

Signed and Sealed this

Tenth Day of November, 2009

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive style with a large initial 'D' and 'K'.

David J. Kappos
Director of the United States Patent and Trademark Office