



US00D590286S

(12) **United States Design Patent**  
**Hollstien et al.**

(10) **Patent No.:** **US D590,286 S**  
(45) **Date of Patent:** **\*\* Apr. 14, 2009**

(54) **PORTABLE SECURITY APPARATUS**

(76) Inventors: **David Stuart Hollstien**, 1480 Meadow View La., Templeton, CA (US) 93465-3819; **Michael Ray Hanson**, 3100 Ardilla Rd., Atascadero, CA (US) 93422

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/277,579**

(22) Filed: **Mar. 2, 2007**

(51) **LOC (9) Cl.** ..... **10-05**

(52) **U.S. Cl.** ..... **D10/106**

(58) **Field of Classification Search** ..... D10/106;  
D13/107; D14/129; 340/571  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,153,561	A	*	10/1992	Johnson	.....	340/571
D466,475	S	*	12/2002	Super et al.	.....	D13/107
D482,324	S	*	11/2003	James et al.	.....	D13/107
D506,724	S	*	6/2005	Hriscu et al.	.....	D13/107
D507,524	S	*	7/2005	Krieger et al.	.....	D13/107
D529,884	S	*	10/2006	Zernov	.....	D14/129

D530,664 S \* 10/2006 Wingerter et al. .... D13/107

\* cited by examiner

*Primary Examiner*—Robert M Spear

*Assistant Examiner*—George D Kirschbaum

(74) *Attorney, Agent, or Firm*—Michael Fedrick; Sheldon Mak Rose & Anderson

(57) **CLAIM**

We claim the ornamental design for a portable security apparatus, as shown.

**DESCRIPTION**

The portable security apparatus is a self-contained intruder alarm that can be easily moved and setup.

FIG. 1 is a front elevation view of the portable security apparatus showing our new design;

FIG. 2 is a rear elevation view thereof;

FIG. 3 is a left elevation view thereof;



FIG. 4 is a right elevation view thereof;

FIG. 5 is a top plan view thereof;


FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is an isometric view thereof.


**1 Claim, 7 Drawing Sheets**




**FIG. 1**




**FIG.2**



**FIG. 3**




**FIG. 4**






**FIG.5**



**FIG. 6**



**FIG. 7**

