

US00D590326S

(12) **United States Design Patent**  
**Lee et al.**

(10) **Patent No.:** **US D590,326 S**

(45) **Date of Patent:** **\*\* Apr. 14, 2009**

(54) **TIRE FOR AUTOMOBILE**

D540,249 S \* 4/2007 Lo ..... D12/549  
D562,219 S \* 2/2008 Oh ..... D12/550

(75) Inventors: **Jae Moon Lee**, Busan-si (KR); **Seung Il Choi**, Yangsan-si (KR); **Tae Nyeon Kim**, Busan-si (KR)

\* cited by examiner

*Primary Examiner*—Stacia Cadmus

(73) Assignee: **Nexen Tire Co., Ltd.**, Gyeongsangnam-do (KR)

(74) *Attorney, Agent, or Firm*—Hoffmann & Baron, LLP

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/305,915**

The ornamental design for an automobile tire, as shown and described.

(22) Filed: **Mar. 31, 2008**

**DESCRIPTION**

(51) **LOC (9) Cl.** ..... **12-15**

FIG. 1 is a perspective view of an automobile tire showing the new design;

(52) **U.S. Cl.** ..... **D12/550**

FIG. 2 is a front view of the automobile tire shown in FIG. 1, it being understood that the pattern repeats uniformly throughout the circumference of the tire;

(58) **Field of Classification Search** ..... D12/533,  
D12/546–567; 152/209.1, 209.8–209.18,  
152/209.25–209.28, 455

FIG. 3 is a rear view of the automobile tire shown in FIG. 1;

See application file for complete search history.

FIG. 4 is a left side view of the automobile tire shown in FIG. 1, which is the same as the right side view thereof; and,

(56) **References Cited**

FIG. 5 is an enlarged view showing a portion of the automobile tire shown in FIG. 2.

**U.S. PATENT DOCUMENTS**

D450,652 S \* 11/2001 Shimizu et al. .... D12/549  
D486,442 S \* 2/2004 Kuwajima ..... D12/550  
D502,443 S \* 3/2005 Kuramochi et al. .... D12/555

**1 Claim, 5 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

