



US00D590432S

(12) **United States Design Patent**
Yee

(10) **Patent No.:** **US D590,432 S**
(45) **Date of Patent:** **** Apr. 14, 2009**

(54) **EYEGLOSS AND EYEGLOSS COMPONENTS**

(75) Inventor: **Peter Yee**, Irvine, CA (US)

(73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/293,690**

(22) Filed: **Dec. 7, 2007**

(51) **LOC (9) Cl.** **16-06**

(52) **U.S. Cl.** **D16/314; D16/315**

(58) **Field of Classification Search** D16/101,
D16/300-342; D29/109-110; D24/110.2;
351/41, 44, 51-52, 62, 158, 92, 103-123,
351/140, 153, 45-46; 2/426-432, 447-449,
2/441, 434-437, 13, 15; D21/483, 659-661
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D141,195 S *	5/1945	Baratelli	D16/314
D150,924 S	9/1948	Blight		
D176,316 S	12/1955	Fleming		
D178,178 S	7/1956	Fleming		
D293,450 S	12/1987	Jannard		
D323,333 S	1/1992	Jannard et al.		
D324,394 S	3/1992	Jannard		
D329,442 S	9/1992	Jannard		
D330,035 S	10/1992	Jannard		
D331,587 S	12/1992	Jannard et al.		
5,249,001 A	9/1993	Jannard		
D344,742 S	3/1994	Jannard		
D354,501 S	1/1995	Jannard		
5,610,668 A	3/1997	Mage		
D384,364 S	9/1997	Yee		
5,760,868 A	6/1998	Jannard et al.		
D399,519 S	10/1998	Yee		
D399,866 S	10/1998	Yee		

D401,607 S	11/1998	Miniutti		
D410,484 S	6/1999	Jannard et al.		
6,233,342 B1	5/2001	Fernandez		
D458,624 S	6/2002	Soper		
D473,892 S	4/2003	Thixton et al.		
D485,856 S *	1/2004	Wolfe	D16/335
D533,889 S *	12/2006	Saderholm et al.	D16/314
D569,412 S *	5/2008	Jannard et al.	D16/321
D585,475 S *	1/2009	Yang	D16/314

OTHER PUBLICATIONS

U.S. Appl. No. 29/266,547, filed Sep. 22, 2006.
U.S. Appl. No. 29/288,604, filed Jun. 15, 2007.
U.S. Appl. No. 29/288,605, filed Jun. 15, 2007.
U.S. Appl. No. 29/288,606, filed Jun. 15, 2007.

* cited by examiner

Primary Examiner—Raphael Barkai
(74) *Attorney, Agent, or Firm*—Gregory K. Nelson


(57) **CLAIM**

The ornamental design for eyeglass and eyeglass components, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the eyeglass and eyeglass components of the present invention;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left-side elevational view thereof, the right-side elevational view being a mirror image thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.
The broken line drawing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6