



US00D590481S

(12) **United States Design Patent**
Stimpson

(10) **Patent No.:** **US D590,481 S**

(45) **Date of Patent:** **** Apr. 14, 2009**

(54) **PIPE COUPLING WITH FLOW SENSOR AND FILTER**

(75) Inventor: **Robert William Stimpson**, Douglas (GB)

(73) Assignee: **DLP Limited**, Isle of Man (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/284,485**

(22) Filed: **Sep. 10, 2007**

(30) **Foreign Application Priority Data**

Aug. 4, 2007 (EM) 000773478

(51) **LOC (9) Cl.** **23-01**

(52) **U.S. Cl.** **D23/262**

(58) **Field of Classification Search** D23/259–262, D23/264, 266; 137/614.04; 251/149, 343; 285/242–243, 369, 372, 373, 417; 138/109
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

318,356	A *	5/1885	Cogan	285/148.6
940,098	A *	11/1909	Wherle	285/372
1,153,002	A *	9/1915	Wright	285/235
4,147,383	A *	4/1979	Schluter	285/373
4,220,360	A *	9/1980	Jacek et al.	285/317
4,424,991	A *	1/1984	Hill et al.	285/381.2
D291,482	S *	8/1987	Vassallo et al.	D23/262
5,316,041	A *	5/1994	Ramacier et al.	137/614.04
6,106,031	A *	8/2000	Guginsky	285/369
6,405,761	B1 *	6/2002	Shimizu et al.	138/109
6,951,227	B1 *	10/2005	Su	138/115
D517,665	S *	3/2006	Wilk et al.	D23/262
D524,427	S *	7/2006	Wilk et al.	D23/262

7,125,053	B2 *	10/2006	Hashem	285/333
7,416,227	B1 *	8/2008	Earnest	285/419
2003/0051763	A1 *	3/2003	Buttner et al.	138/121
2004/0007875	A1 *	1/2004	Bishop et al.	285/369
2005/0229989	A1 *	10/2005	Su	138/115
2006/0011249	A1 *	1/2006	Arima et al.	138/109

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Eric L Goodman

(74) *Attorney, Agent, or Firm*—Martin Fleit; Paul D. Bianco

(57) **CLAIM**

The ornamental design for a pipe coupling with flow sensor and filter, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a pipe coupling with flow sensor and filter, showing our new design;

FIG. 2 is a plan view from above of the pipe coupling with flow sensor and filter, as shown in FIG. 1;

FIG. 3 is an elevational side view of the pipe coupling with flow sensor and filter, as shown in FIG. 1, the other side matches;


FIG. 4 is a plan view from below of the pipe coupling with flow sensor and filter, as shown in FIG. 1;

FIG. 5 is a downstream end view of the pipe coupling with flow sensor and filter, as shown in FIG. 1; and,

FIG. 6 is an upstream end view of the pipe coupling with flow sensor and filter, as shown in FIG. 1.

The inner portions of the pipe coupling with flow sensor and filter shown in broken lines in FIGS. 5 and 6 form no part of the claimed design, and Applicant expressly disclaims any right to said subject matter.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5