

US00D590547S

(12) **United States Design Patent**
Brace et al.

(10) **Patent No.:** **US D590,547 S**
(45) **Date of Patent:** **** Apr. 14, 2009**

(54) **HEADGEAR ARTICLE HAVING RECESSED PORTIONS**

(75) Inventors: **Thomas J. Brace**, St. Paul, MN (US);
Mark A. J. Fernandes, Leamington Spa (GB);
Stuart J. King, Coventry (GB);
Bruce E. Nelson, Oakdale, MN (US);
James M. Ulwelling, Eau Claire, WI (US)

(73) Assignee: **3M Innovative Properties Company**,
St. Paul, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/306,136**

(22) Filed: **Apr. 3, 2008**

(51) **LOC (9) Cl.** **29-02**

(52) **U.S. Cl.** **D29/122**

(58) **Field of Classification Search** D29/108,
D29/110, 111, 122; 2/7, 8.1-8.8, 9-11, 15,
2/6.3, 6.5, 6.7, 424, 427, 429, 5; 128/857,
128/858, 206.28, 207.11, 207.17, 201.23,
128/201.24, 201.25, 206.21, 206.23, 206.42;
D24/191

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D250,496 S * 12/1978 Odell et al. D29/122
- 4,995,117 A 2/1991 Mirage
- D420,771 S 2/2000 Burns
- 6,035,451 A * 3/2000 Burns et al. 2/424
- 6,102,033 A * 8/2000 Baribeau et al. 128/201.24
- D443,394 S 6/2001 Martin et al.
- D444,269 S 6/2001 Jeffreys
- 6,298,498 B1 10/2001 Burns et al.

- 6,332,228 B1 12/2001 Takahara
- D453,056 S 1/2002 Garneau
- 6,418,564 B1 7/2002 Sheridan
- D485,947 S 1/2004 Pelletier et al.
- D499,214 S * 11/2004 Cheng D29/110
- D503,497 S * 3/2005 Canavan et al. D29/110
- D503,498 S * 3/2005 Canavan et al. D29/110
- D504,195 S * 4/2005 Canavan et al. D29/122
- D511,227 S * 11/2005 Canavan et al. D29/122
- D511,865 S * 11/2005 Canavan et al. D29/122
- D512,187 S * 11/2005 Canavan et al. D29/122
- 6,961,963 B2 11/2005 Rosie
- D517,745 S * 3/2006 Lee et al. D29/122
- 7,007,306 B2 * 3/2006 Howard et al. 2/9
- D520,684 S 5/2006 Martin et al.
- D539,485 S * 3/2007 Huh et al. D29/110
- 2004/0064873 A1 4/2004 Muskovitz

* cited by examiner

Primary Examiner—Ruth McInroy

(74) *Attorney, Agent, or Firm*—Anna A. Wetzels

(57) **CLAIM**

The ornamental design for a headgear article having recessed portions, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a headgear article having recessed portions showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a left side elevational view thereof, the right side view being a mirror image thereof;


FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

The broken lines form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6