

(12) United States Design Patent (10) Patent No.: US D590,705 S Kuhlmann (45) Date of Patent: ** Apr. 21, 2009

(54) LOOP FASTENER

(76) Inventor: **Deanna Kuhlmann**, 505 East Dr., St. Louis, MO (US) 63130-3802

(**) Term: 14 Years

(21) Appl. No.: 29/262,513

(22) Filed: Jul. 5, 2006

(56)

D451,372	S *	12/2001	Cedarberg, III D8/396
6,349,904	B1	2/2002	Polad
6,558,789	B1	5/2003	Hamerski
6,581,885	B2	6/2003	Polad
6,588,074	B2 *	7/2003	Galkiewicz et al 24/586.1
6,641,096	B2	11/2003	Johansson
D500,244	S	12/2004	Yoshiguchi
D514,828	S	2/2006	Miller
D515,408	S *	2/2006	Cheung D8/394
2001/0013277	A1*	8/2001	Galkiewicz et al 100/2
2005/0151020	4 1	7/2005	T 1 1

Related U.S. Application Data

- (63) Continuation of application No. 29/262,489, filed on Jul. 3, 2006, now Pat. No. Des. 579,764.
- (52) U.S. Cl. D8/394; D8/396
- (58) Field of Classification Search D8/394–396; 24/16 PB; 248/205.3, 74.1–74.4

See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

2,936,980 A 3,210,033 A *		Rapata Deardorf 248/74.3
3,255,501 A	6/1966	Maxime
3,362,411 A	1/1968	Moller
3,454,249 A	7/1969	Geisinger
3,463,427 A	8/1969	Fisher
3,468,050 A	9/1969	Pool
3,542,321 A	11/1970	Kahabka
3,913,876 A	10/1975	McSherry
3,950,107 A	4/1976	Seaborn
4,379,538 A	4/1983	Welles
4,447,934 A	5/1984	Anscher
4,752,054 A	6/1988	Joensson
4,805,856 A	2/1989	Nicoli
4,864,750 A	9/1989	Reggers
4,942,644 A	7/1990	Rowley
5,012,558 A	5/1991	Willoughby
5,267,967 A	12/1993	Schneider
D370,407 S *	6/1996	Pietrowski D8/394
6,131,200 A	10/2000	McNamara
6,222,128 B1	4/2001	Gretz
6,313,406 B1	11/2001	Gretz

2005/0151038	Al	7/2005	Packard
2005/0251967	Al	11/2005	McNeill

* cited by examiner

Primary Examiner—Holly H Baynham (74) *Attorney, Agent, or Firm*—Volpe and Koenig P.C.

(57) **CLAIM**

The ornamental design for an loop fastener, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an embodiment of a design for an loop fastener according to the present invention;FIG. 2 is a front elevational view of the design shown in FIG. 1;

FIG. **3** is a rear elevational view of the design shown in FIG. **1**;

FIG. 4 is a right side elevational view of the design shown in FIG. 1, the left side being a mirror image thereof;
FIG. 5 is a top plan view of the design shown in FIG. 1;
FIG. 6 is a bottom plan view of the design shown in FIG. 1;
FIG. 7 is a front perspective view of the design shown in FIG. 1 shown bent in the longitudinal direction and formed into a loop;

FIG. **8** is a front perspective view of a second embodiment of a design for an loop fastener according to the present invention;

FIG. **9** is a front elevational view of the design shown in FIG. **8**;





US D590,705 S Page 2

FIG. 10 is a rear elevational view of the design shown in FIG. 8;

FIG. **11** is a right side elevational view of the design shown in FIG. **8**, the left side being a mirror image thereof;

FIG. 12 is a top plan view of the design shown in FIG. 8;

FIG. 13 is a bottom plan view of the design shown in FIG. 8;

FIG. **14** is a front perspective view of a third embodiment of a design for an loop fastener according to the present invention;

FIG. 15 is a front elevational view of the design shown in FIG.14;FIG. 16 is a rear elevational view of the design shown in FIG.14;

FIG. 26 is a front perspective view of a fifth embodiment of a design for an loop fastener according to the present invention;FIG. 27 is a front elevational view of the design shown in FIG. 26;

FIG. **28** is a rear elevational view of the design shown in FIG. **26**;

FIG. **29** is a right side elevational view of the design shown in FIG. **26**, the left side being a mirror image thereof;

FIG. **30** is a top plan view of the design shown in FIG. **26**; FIG. **31** is a bottom plan view of the design shown in FIG. **26**;

FIG. **17** is a right side elevational view of the design shown in FIG. **14**, the left side being a mirror image thereof;

FIG. 18 is a top plan view of the design shown in FIG. 14;

FIG. 19 is a bottom plan view of the design shown in FIG. 14.

FIG. 20 is a front perspective view of fourth embodiment of a design for an loop fastener according to the present invention;FIG. 21 is a front elevational view of the design shown in FIG. 20;

FIG. 22 is a rear elevational view of the design shown in FIG. 20;

FIG. 23 is a right side elevational view of the design shown in FIG. 20, the left side being a mirror image thereof;

FIG. 24 is a top plan view of the design shown in FIG. 20;

FIG. 25 is a bottom plan view of the design shown in FIG. 20;

FIG. **32** is a front perspective view of a sixth embodiment of a design for an loop fastener according to the present invention;

FIG. **33** is a front elevational view of the design shown in FIG. **32**;

FIG. **34** is a rear elevational view of the design shown in FIG. **32**;

FIG. **35** is a right side elevational view of the design shown in FIG. **32**, the left side being a mirror image thereof;

FIG. 36 is a top plan view of the design shown in FIG. 32; and,

FIG. **37** is a bottom plan view of the design shown in FIG. **32**.

The broken lines immediately adjacent the shaded areas represent the bounds of the claim and all other broken lines are for illustrative purposes only. None of the broken lines form part of the claimed design.

1 Claim, 13 Drawing Sheets

U.S. Patent Apr. 21, 2009 Sheet 1 of 13 US D590,705 S



U.S. Patent **US D590,705 S** Apr. 21, 2009 Sheet 2 of 13





FIG. 6

FIG.2 FIG.3 FIG.4

U.S. Patent Apr. 21, 2009 Sheet 3 of 13 US D590,705 S





U.S. Patent Apr. 21, 2009 Sheet 4 of 13 US D590,705 S





U.S. Patent US D590,705 S Apr. 21, 2009 Sheet 5 of 13

目



FIG. 12

FIG. 13

FIG. 10 FIG. 11 FIG. 9

U.S. Patent Apr. 21, 2009 Sheet 6 of 13 US D590,705 S



U.S. Patent Apr. 21, 2009 Sheet 7 of 13 US D590,705 S





FIG. 19

FIG. 15 FIG. 16 FIG. 17

U.S. Patent Apr. 21, 2009 Sheet 8 of 13 US D590,705 S



U.S. Patent **US D590,705 S** Apr. 21, 2009 Sheet 9 of 13





FIG. 25

FIG. 21 FIG. 22 FIG. 23

U.S. Patent Apr. 21, 2009 Sheet 10 of 13 US D590,705 S





U.S. Patent US D590,705 S Apr. 21, 2009 **Sheet 11 of 13**





FIG.27 FIG.28 FIG.29

U.S. Patent Apr. 21, 2009 Sheet 12 of 13 US D590,705 S



U.S. Patent Apr. 21, 2009 Sheet 13 of 13 US D590,705 S



FIG. 33 FIG. 34 FIG. 35