

US00D590706S

(12) **United States Design Patent**
Doliwa et al.

(10) **Patent No.:** **US D590,706 S**
(45) **Date of Patent:** **** *Apr. 21, 2009**

(54) **COMBINED SQUARE BASE AND COVER**

(75) Inventors: **Wojciech Doliwa**, Sayreville, NJ (US);
Justin Andres, East Brunswick, NJ (US)

(73) Assignee: **Sabert Corporation**, Sayreville, NJ
(US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/300,766**

(22) Filed: **May 8, 2008**

(51) **LOC (9) Cl.** **09-03**

(52) **U.S. Cl.** **D9/425; D7/629; D9/432**

(58) **Field of Classification Search** D9/414–415,
D9/418, 423–429, 431–432, 435, 452–453,
D9/515, 761; D7/354, 504, 500, 538, 550.1,
D7/543, 545, 553.6, 554.2, 557, 565, 584–585,
D7/602, 629, 672; D3/201, 203.1–203.3,
D3/304, 307–314; 220/4.21–4.24, 23.8,
220/23.87, 266, 276, 377, 532–533, 655,
220/781–784, 790–791, 793, 835; 206/45.19,
206/45.32, 386, 425, 503, 508, 509, 511,
206/518–521, 541, 555, 558, 560, 564, 625,
206/643; 229/120, 125, 406; 426/106, 119,
426/129, 234; 219/734

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,307,603 A * 3/1967 Swett 220/783
3,483,964 A * 12/1969 Muehling et al. 426/123
D219,673 S * 1/1971 Daenen D7/629
3,863,833 A * 2/1975 Swett et al. 220/4.21
D235,406 S * 6/1975 Daenen D7/629
D273,565 S * 4/1984 Driskell et al. D9/415
D274,300 S * 6/1984 Pozzi D7/542
D298,791 S * 12/1988 Holzkopf D7/542
D320,743 S * 10/1991 Alexander et al. D9/425
D331,011 S * 11/1992 Karita et al. D9/415
5,377,860 A * 1/1995 Littlejohn et al. 220/790
5,860,530 A * 1/1999 Simmons et al. 206/557
D479,128 S * 9/2003 Jowett D9/425
D501,403 S * 2/2005 Wilcock et al. D9/425

D513,383 S * 1/2006 Glander et al. D9/435
D527,956 S * 9/2006 Doliwa D7/629
D551,975 S * 10/2007 Gomoll et al. D9/452
D557,601 S * 12/2007 Minidis D9/425

* cited by examiner

Primary Examiner—Robert M Spear

Assistant Examiner—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Ezra Sutton

(57) **CLAIM**

The ornamental design for a combined square base and cover, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a combined square base and cover showing a first embodiment of our new design;

FIG. 2 is a front view thereof, shown in an enlarged scale;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof, shown in an reduced scale;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a front perspective view of a combined square base and cover showing a second embodiment of our new design, shown in an enlarged scale;

FIG. 9 is a front view thereof;

FIG. 10 is a rear view thereof;

FIG. 11 is a left side view thereof;



FIG. 12 is a right side view thereof;

FIG. 13 is a top plan view thereof, shown in an reduced scale; and,

FIG. 14 is a bottom plan view thereof.

The broken lines illustrate environmental elements of the combined square base and cover which form no part of the claimed design.

1 Claim, 14 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6





FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

FIG. 13




FIG. 14

