



US00D591219S

(12) **United States Design Patent**
Ohigashi et al.

(10) **Patent No.:** **US D591,219 S**
(45) **Date of Patent:** **** Apr. 28, 2009**

(54) **TIRE FOR AUTOMOBILE**

D583,301 S * 12/2008 Ohigashi D12/512

(75) Inventors: **Hiroshi Ohigashi**, Hyogo (JP); **Hiroto Sakakibara**, Hyogo-ken (JP)

* cited by examiner

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Richard B. O’Planick

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/326,352**

The ornamental design for a tire for automobile, as shown and described.

(22) Filed: **Oct. 16, 2008**

DESCRIPTION

(30) **Foreign Application Priority Data**

Apr. 21, 2008 (JP) 2008-010186

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/544**

(58) **Field of Classification Search** D12/512,
D12/535–536, 544, 564–565, 571, 579, 585–89,
D12/600–605; 152/209.1, 209.8–209.18,
152/209.25–209.28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D301,219 S	5/1989	Igarashi		D12/146
D301,570 S	6/1989	Fujiki		D12/148
D309,282 S	7/1990	Hasegawa		D12/146
D314,362 S	2/1991	Fujiki		D12/147
D316,691 S	5/1991	Fujiki		D12/146
D411,150 S *	6/1999	Rooney		D12/544
D413,088 S	8/1999	Brown et al.		D12/146
D419,497 S	1/2000	Toyozawa		D12/140
D548,676 S	8/2007	Nishimori		D12/544
D553,558 S *	10/2007	Sakakibara et al.		D12/544
D554,575 S *	11/2007	Sakakibara et al.		D12/544

FIG. 1 is a perspective view of a tire for automobile showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof;



FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire for automobile showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side perspective view is a mirror image thereof; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken line showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6