

US00D591292S

(12) **United States Design Patent**
Parker

(10) **Patent No.:** **US D591,292 S**

(45) **Date of Patent:** **** Apr. 28, 2009**

(54) **RFID CASE**

(75) Inventor: **Brian G. Parker**, Alto, MI (US)

(73) Assignee: **Cascade Engineering, Inc.**, Grand Rapids, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/323,254**

(22) Filed: **Aug. 21, 2008**

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/383; D14/155**

(58) **Field of Classification Search** D14/356–358, D14/363, 367, 369, 370, 383, 385, 386, 432–439, D14/474, 483, 155, 188, 217, 299; D13/133, D13/146, 147, 154, 158, 173, 177, 182–184, D13/199; 361/684, 685, 727, 737; 439/630, 439/660, 945, 946; 713/182–186; D20/22
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D234,775 S *	4/1975	Blackburn et al.	D14/483
D314,016 S *	1/1991	Mitchell	D20/22
D339,230 S *	9/1993	Thompson	D20/22
D342,284 S *	12/1993	McMarrell	D20/22
D368,267 S *	3/1996	Rak et al.	D14/483
D387,812 S *	12/1997	Liu	D20/22
D399,486 S *	10/1998	Deans	D13/120
6,144,301 A *	11/2000	Frieden	283/74
D450,350 S *	11/2001	Perelli	D20/42
D533,178 S *	12/2006	Farnum et al.	D14/385
D535,974 S *	1/2007	Alwicker et al.	D14/188

D538,806 S *	3/2007	Brod et al.	D14/385
D556,130 S *	11/2007	Tajima et al.	D13/119
D559,904 S *	1/2008	Schwab et al.	D14/436
D582,413 S *	12/2008	Parker et al.	D14/383
D583,319 S *	12/2008	Ishikawa et al.	D13/133
2008/0094224 A1 *	4/2008	Parker et al.	340/572.8
2008/0251968 A1 *	10/2008	Misner et al.	264/272.15

OTHER PUBLICATIONS

U.S. Appl. No. 11/733,217, filed Apr. 10, 2007, entitled RFID Hard Case Device and Method of Manufacture, by John E. Misner.

U.S. Appl. No. 29/298,897, filed Dec. 14, 2007, entitled RFID Case, by Brian G. Parker et al.

* cited by examiner

Primary Examiner—Cathron C Brooks

Assistant Examiner—Deanna Fluegeman

(74) *Attorney, Agent, or Firm*—Warner Norcross & Judd LLP

(57) **CLAIM**

The ornamental design for an RFID case, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the RFID case;

FIG. 2 is a back perspective view thereof;

FIG. 3 is front view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a rear view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a top end view thereof; and,

FIG. 8 is a bottom end view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2



FIG. 7




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 8