



US00D591797S

(12) **United States Design Patent**
Donnelly

(10) **Patent No.:** **US D591,797 S**

(45) **Date of Patent:** **** May 5, 2009**

(54) **LED OPEN SIGN**

(75) Inventor: **Beth A. Donnelly**, Wauwatosa, WI (US)

(73) Assignee: **Everbrite, LLC**, Greenfield, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/310,222**

(22) Filed: **Aug. 1, 2008**

(51) **LOC (9) Cl.** **20-03**

(52) **U.S. Cl.** **D20/42**

(58) **Field of Classification Search** D20/10-12,
D20/19, 29, 39, 40, 42, 99; 40/124.01, 538-582,
40/564, 584, 552, 596; D10/109; 362/812
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D433,453 S *	11/2000	Fallon	D20/10
D460,490 S *	7/2002	Fallon	D20/10
D477,032 S *	7/2003	Fallon	D20/10
D484,916 S *	1/2004	Fallon	D20/10
D529,098 S *	9/2006	Nelson	D20/42

D545,909 S *	7/2007	Jacobs et al.	D20/42
D553,691 S *	10/2007	Lane	D20/10
D582,988 S *	12/2008	Donnelly et al.	D20/42

* cited by examiner

Primary Examiner—Janice E Seeger

Assistant Examiner—Mary Ann Calabrese

(74) *Attorney, Agent, or Firm*—Patents Penned, S.C.; Richard Missimer

(57) **CLAIM**

I claim, the ornamental design of an LED open sign, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a LED replacement for a neon open sign.

FIG. 2 is a front view; and,

FIG. 3 is a rear view.

A major characteristic of this ornamental sign is the lack of solid background. It has a very thin opaque border around all shapes and letters.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3