



US00D591935S

(12) **United States Design Patent**
Lee

(10) **Patent No.:** **US D591,935 S**
(45) **Date of Patent:** **** *May 12, 2009**

(54) **ROLL TOP BOOT**

(75) Inventor: **Jennifer Dumlao Lee**, Chelmsford, MA (US)

(73) Assignee: **The Timberland Company**, Startham, NH (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/263,305**

(22) Filed: **Jul. 20, 2006**

(51) **LOC (9) Cl.** **02-04**

(52) **U.S. Cl.** **D2/909; D2/970**

(58) **Field of Classification Search** D2/897,
D2/901, 904, 909-912, 944, 946, 969, 970-978;
36/45, 50.1, 83, 113, 114, 126-134, 77 R,
36/77 M, 88

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D105,890 S * 8/1937 Mondl D2/911

(Continued)

Primary Examiner—Stella M Reid

Assistant Examiner—Rashida C McCoy

(74) *Attorney, Agent, or Firm*—Lerner, David, Littenberg, Krumholz & Mentlik, LLP

(57) **CLAIM**

The ornamental design for the roll top boot, as shown and described.

DESCRIPTION

This application is co-pending with U.S. Design Pat. application No. 29/263,304, filed concurrently herewith and entitled “roll top boot,” the entire disclosure of which is hereby expressly incorporated by reference herein.

FIG. 1 is a perspective view of a roll top boot, showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a perspective view of a roll top boot with open top in a turned down, cuff position;

FIG. 9 is a front elevational view thereof;

FIG. 10 is a rear elevational view thereof;

FIG. 11 is a left side elevational view thereof;

FIG. 12 is a right side elevational view thereof;

FIG. 13 is a top plan view thereof; and

FIG. 14 is a bottom plan view thereof.

FIG. 15 is a perspective view of a roll top boot with closed top in an upright position;

FIG. 17 is a rear elevational view thereof;

FIG. 18 is a left side elevational view thereof;

FIG. 19 is a right side elevational view thereof;

FIG. 20 is a top plan view thereof;

FIG. 21 is a bottom plan view thereof;

FIG. 22 is a perspective view of a roll top boot with closed top in a turned down, cuff position;

FIG. 23 is a front elevational view thereof;

FIG. 24 is a rear elevational view thereof;

FIG. 25 is a left side elevational view thereof;

FIG. 26 is a right side elevational view thereof;

FIG. 27 is a top plan view thereof; and,

FIG. 28 is a bottom plan view thereof.

The appearance of elements presented in broken line format, including the lacing eyelets, the sole, and the zipper handle, form no part of the claimed invention.

1 Claim, 28 Drawing Sheets



US D591,935 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | | | | |
|---------------|---------|------------|-------|--------|-----------------|---------|--------------------|-------|--------|
| D152,309 S * | 1/1949 | Williams | | D2/911 | D398,438 S * | 9/1998 | De Baere | | D2/911 |
| D154,461 S * | 7/1949 | Burt | | D2/910 | D475,188 S | 6/2003 | Nau et al. | | |
| 3,618,232 A * | 11/1971 | Shnuriwsky | | 36/1.5 | D475,192 S | 6/2003 | Nau et al. | | |
| D223,792 S * | 6/1972 | Martuch | | D2/912 | D497,475 S | 10/2004 | Nau et al. | | |
| | | | | | 2005/0235522 A1 | 10/2005 | Crowley, II et al. | | |

* cited by examiner

FIG. 1



FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15



FIG. 16




FIG. 17




FIG. 18



FIG. 19



FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28

