

US00D592060S

(12) **United States Design Patent**
Chupak

(10) **Patent No.:** **US D592,060 S**
(45) **Date of Patent:** **** May 12, 2009**

(54) **BOTTLE**

(75) **Inventor:** **Thomas Chupak**, West Middlesex, PA (US)

(73) **Assignee:** **Exal Corporation**, Youngstown, OH (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/294,384**

(22) **Filed:** **Jan. 9, 2008**

(51) **LOC (9) Cl.** **09-01**

(52) **U.S. Cl.** **D9/500**

(58) **Field of Classification Search** D9/500,
D9/502-505, 516, 545, 549, 558, 682, 685,
D9/688-691, 763-764, 772, 776-777; 215/379,
215/381-382; 220/660, 662-663, 669, 675
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D414,238 S * 9/1999 Kupperman D22/146
- D461,674 S * 8/2002 Dorney D7/301
- D489,984 S * 5/2004 Futral et al. D9/500
- D503,619 S * 4/2005 Jackson et al. D9/500
- D528,000 S * 9/2006 Davis et al. D9/500
- D530,217 S * 10/2006 Krause D9/652
- D564,881 S * 3/2008 Chupak D9/500

D569,729 S * 5/2008 Pedmo et al. D9/520

FOREIGN PATENT DOCUMENTS

WO DM/062281 * 12/2002

* cited by examiner

Primary Examiner—Ian Simmons

Assistant Examiner—Dana L Sipos

(74) *Attorney, Agent, or Firm*—Thorp Reed & Armstrong, LLP

(57) **CLAIM**

The ornamental designs for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a bottle showing my new design, the bottle having an opening with an unclaimed thread;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a front elevation view thereof, the right side, left side and rear elevation views being identical, excluding the unclaimed thread detail;

FIG. 4 is a top plan view thereof; and,

FIG. 5 is a bottom plan view thereof.

The broken lines in the drawings showing the thread applied to the pour spout of the bottle illustrates the portions of the design that form no part of the claim.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5