



US00D592084S

(12) **United States Design Patent**
Stevens et al.

(10) **Patent No.:** **US D592,084 S**

(45) **Date of Patent:** **** May 12, 2009**

(54) **NAVIGATION DEVICE**

(75) Inventors: **Warren R. Stevens**, Olathe, KS (US);
Christopher J. Hanshew, Lenexa, KS (US);
Juhee Lee, Olathe, KS (US);
Darren J. Nelson, Overland Park, KS (US)

(73) Assignee: **Garmin Ltd.** (KY)

(**) Term: **14 Years**

(21) Appl. No.: **29/327,119**

(22) Filed: **Oct. 30, 2008**

Related U.S. Application Data

(63) Continuation of application No. 29/302,795, filed on Jan. 24, 2008.

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/65**

(58) **Field of Classification Search** D10/65,
D10/70; D14/347; 342/351, 419, 457, 357.06-357.16;
343/702; 345/87, 104, 133, 156, 168, 173,
345/901-905; 348/180, 184, 315, 739; 364/444,
364/499; 701/206-209, 213-214

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D506,937 S *	7/2005	Lee et al.	D10/65
D515,441 S *	2/2006	Shindo	D10/65
D540,203 S *	4/2007	Jeon	D10/65
D541,682 S *	5/2007	Uno	D10/65
D543,876 S *	6/2007	Kalis et al.	D10/65
7,236,159 B1 *	6/2007	Siverson	345/173

(Continued)

OTHER PUBLICATIONS

Printout from http://www.gsmarena.com/sony_ericsson_k630-2146.php, 3 pages, published prior to Oct. 30, 2008.

Printout from http://www.gsmarena.com/sony_ericsson_k608-1200.php, 3 pages, published prior to Oct. 30, 2008.

Printout from http://www.gsmarena.com/pantech_u_4000-pictures-1778.php, 3 pages, published prior to Oct. 30, 2008.

Primary Examiner—Antoine D Davis

(74) *Attorney, Agent, or Firm*—Samuel M. Korte

(57) **CLAIM**

The ornamental design for a navigation device, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a navigation device according to the present invention shown in a hand held orientation;

FIG. 2 is a rear isometric view thereof;

FIG. 3 is a top elevational view thereof;

FIG. 4 is a front plan view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a rear plan view thereof;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a bottom elevational view thereof;

FIG. 9 is a front isometric view of a navigation device according to the present invention shown in a mounted orientation, wherein the mount is shown in broken lines;

FIG. 10 is a rear isometric view thereof;

FIG. 11 is a top plan view thereof;

FIG. 12 is a front elevational view thereof;

FIG. 13 is a rear elevational view thereof;


FIG. 14 is a bottom plan view thereof;

FIG. 15 is a right side elevational view thereof; and,

FIG. 16 is a left side elevational view thereof.

Portions of FIGS. 1 through 34 are shown in dashed lines for illustrative purposes only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D592,084 S

Page 2

U.S. PATENT DOCUMENTS

7,262,761 B1 *	8/2007	Duarte et al.	345/168	D563,245 S *	3/2008	Deboves et al.	D10/65
7,310,050 B2 *	12/2007	Yeh	340/815.83	D571,234 S	6/2008	Reeson et al.		
D558,619 S *	1/2008	Bloem	D10/65	D571,235 S *	6/2008	Stevens et al.	D10/65
D561,616 S *	2/2008	Park et al.	D10/65	D573,044 S	7/2008	Kalis et al.		
D561,619 S *	2/2008	Miyawaki	D10/65	D574,271 S	8/2008	Stevens et al.		
					D574,272 S *	8/2008	Stevens et al.	D10/65

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7



Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16