

US00D592339S

(12) **United States Design Patent**
Crawford et al.

(10) **Patent No.:** **US D592,339 S**
(45) **Date of Patent:** **** May 12, 2009**

(54) **LIGHTING DEVICE**

(75) Inventors: **John Crawford**, Avon, OH (US);
Donwoong Kang, Camillus, NY (US);
Todd B. Abernethy, Syracuse, NY (US);
Scott W. Osiecki, Skaneateles, NY (US)

(73) Assignee: **Eveready Battery Co., Inc.**, St. Louis,
MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/302,839**

(22) Filed: **Jan. 25, 2008**

(51) **LOC (9) Cl.** **26-02**

(52) **U.S. Cl.** **D26/37; D26/46**

(58) **Field of Classification Search** D26/37,
D26/46, 48, 49; 362/157, 158, 183, 184,
362/185, 187, 189, 194-208

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,876,410	A	3/1959	Fry	
3,634,680	A	1/1972	Myrah	
D225,263	S *	11/1972	Bacevius	D26/46
3,890,555	A	6/1975	Nelson et al.	
4,152,754	A	5/1979	deFilippis et al.	
4,357,648	A	11/1982	Nelson	
D294,065	S *	2/1988	Wan	D26/38
4,876,632	A	10/1989	Osterhout et al.	
4,914,555	A	4/1990	Gammache	
D308,255	S *	5/1990	Emmerling	D26/46
D311,067	S *	10/1990	Chabria	D26/46
D329,059	S *	9/1992	Lee	D26/37
5,293,156	A	3/1994	Shoji et al.	
5,558,430	A *	9/1996	Booty, Jr.	362/184
5,629,105	A	5/1997	Matthews	
D381,099	S *	7/1997	Yuen	D26/37
5,642,932	A	7/1997	Matthews	
5,684,378	A	11/1997	Furth et al.	

5,847,540	A	12/1998	Burns et al.
6,186,641	B1	2/2001	Parker
6,276,088	B1	8/2001	Matthews et al.

(Continued)

FOREIGN PATENT DOCUMENTS

EP 0325922 A2 8/1989

OTHER PUBLICATIONS

Novatac, Inc., "Flashlight User Guide EDC-85P or 120P," Jul. 2007,
pp. 1-15, Tucson, Arizona.

Primary Examiner—Jeffrey D Asch

Assistant Examiner—Carissa C Fitts

(74) *Attorney, Agent, or Firm*—Gregory J. Adams

(57) **CLAIM**

We claim the ornamental design for a lighting device, as
shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a lighting device, show-
ing our new design;

FIG. 2 is a side view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a second side view thereof;

FIG. 5 is a top plan view thereof;


FIG. 6 is a front view thereof;

FIG. 7 is a rear view thereof; and,

FIG. 8 is side view of a lighting device showing a second
embodiment wherein the design of the second embodiment
has the same appearance as the first embodiment without the
clip detail.

The broken line showing is superimposed on the continuous
surface of the claimed design, is for illustrative purposes only,
and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



U.S. PATENT DOCUMENTS							
6,280,053	B1	8/2001	Chien	7,084,899	B2	8/2006	Williams
6,316,911	B1	11/2001	Moskowitz et al.	7,140,745	B2	11/2006	Yuen
6,386,730	B1	5/2002	Matthews	7,186,000	B2	3/2007	Lebens et al.
6,454,434	B1	9/2002	Hee	D543,649	S *	5/2007	Bhavnani D26/37
6,485,160	B1	11/2002	Sommers et al.	7,281,820	B2	10/2007	Bayat et al.
D466,636	S *	12/2002	Chun D26/37	D566,312	S *	4/2008	Lui D26/46
6,547,414	B2	4/2003	Steger	2001/0033481	A1	10/2001	Chien
D477,432	S *	7/2003	Parsons D26/37	2005/0036306	A1	2/2005	Hsien
D484,624	S *	12/2003	Shiu D26/37	2005/0122710	A1	6/2005	Kim
D485,627	S *	1/2004	Chun D26/37	2005/0243542	A1	11/2005	Kim
6,769,787	B2	8/2004	Ferguson et al.	2006/0082991	A1	4/2006	Hrabal
6,880,950	B2	4/2005	Chan	2006/0098424	A1	5/2006	Yuen
6,945,666	B2	9/2005	Woolfson	2007/0139916	A1	6/2007	Vermillion et al.
				2007/0159815	A1	7/2007	Bayat et al.
				* cited by examiner			

FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8

