

US00D592542S

(12) **United States Design Patent**
Pontaoe

(10) **Patent No.:** **US D592,542 S**

(45) **Date of Patent:** **** May 19, 2009**

(54) **BUCKLE MEMBER**

(75) Inventor: **John S. Pontaoe**, Chicago, IL (US)

(73) Assignee: **Illinois Tool Works Inc**, Glenview, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/322,713**

(22) Filed: **Aug. 11, 2008**

(51) **LOC (9) Cl.** **02-07**

(52) **U.S. Cl.** **D11/216**

(58) **Field of Classification Search** D11/1-2,
D11/86, 87, 200-201, 206-210, 212-216,
D11/218; 24/163 R, 169-171, 173, 177-179,
24/191, 194-195, 197, 200, 303

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D171,045 S	*	12/1953	Noe	D11/216
D327,455 S	*	6/1992	Blair	D11/216
D333,640 S	*	3/1993	Keller	D11/218
D527,308 S		8/2006	Buscart		

OTHER PUBLICATIONS

Duraflex product-Shorty Rock Lockster Cam Lock 20mm.
Itw Nexus—20mm WSR Lacht Cam 520-1700.

* cited by examiner

Primary Examiner—R. Seifert

(74) *Attorney, Agent, or Firm*—Mark W. Croll; Paul F. Donovan

(57) **CLAIM**

The ornamental design for a buckle member, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a buckle member showing the new design;

FIG. 2 is another perspective view of the buckle member according to the present invention;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side elevational view thereof;


FIG. 6 is a left side elevational view thereof;

FIG. 7 is an elevational view of one end thereof; and,

FIG. 8 is an elevational view of the opposite end thereof.

The broken line portions of the disclosure are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8