



US00D592767S

(12) **United States Design Patent**  
**Muessli**

(10) **Patent No.:** **US D592,767 S**  
(45) **Date of Patent:** **\*\* May 19, 2009**

(54) **ELECTRIC LIGHT**

(75) Inventor: **Daniel Muessli**, Singapore (SG)

(73) Assignee: **ISUNU Pte Ltd**, Singapore (SG)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/323,134**

(22) Filed: **Aug. 19, 2008**

(51) **LOC (9) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/3**

(58) **Field of Classification Search** ..... D26/1-4;  
313/313, 315, 317, 318, 493; 315/52, 53,  
315/56, 57, 58

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D543,645 S *	5/2007	Hawass	.....	D26/3
D549,362 S *	8/2007	To et al.	.....	D26/3
D560,289 S *	1/2008	Itaya et al.	.....	D26/3
D577,133 S *	9/2008	Xu et al.	.....	D26/3

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a an electric light, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of the design;

FIG. 2 is a front view of the first embodiment of the design;

FIG. 3 is a rear view of the first embodiment of the design;

FIG. 4 is a top view of the first embodiment of the design;

FIG. 5 is a bottom view of the first embodiment of the design;

FIG. 6 is a perspective view of a second embodiment of the design

FIG. 7 is a front view of the second embodiment of the design;

FIG. 8 is a rear view of the second embodiment of the design;

FIG. 9 is a top view of the second embodiment of the design;

FIG. 10 is a bottom view of the second embodiment of the design;

FIG. 11 is a perspective view of a third embodiment of the design;

FIG. 12 is a front view of the third embodiment of the design;

FIG. 13 is a rear view of the third embodiment of the design;

FIG. 14 is a top view of the third embodiment of the design;

FIG. 15 is a bottom view of the third embodiment of the design;

FIG. 16 is a perspective view of a fourth embodiment of the design;


FIG. 17 is a front view of the fourth embodiment of the design;

FIG. 18 is a rear view of the fourth embodiment of the design;

FIG. 19 is a top view of the fourth embodiment of the design; and,

FIG. 20 is a bottom view of the fourth embodiment of the design.

**1 Claim, 20 Drawing Sheets**






FIGURE 1




FIGURE 2




FIGURE 3



FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7






FIGURE 8



FIGURE 9




FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13



FIGURE 14




FIGURE 15






FIGURE 16




FIGURE 17




FIGURE 18



FIGURE 19




FIGURE 20