



US00D592783S

(12) **United States Design Patent**
Flaherty et al.

(10) **Patent No.:** **US D592,783 S**
(45) **Date of Patent:** **** May 19, 2009**

(54) **LIGHTED BOLLARD**

D572,397 S * 7/2008 Skogg et al. D26/68

(75) Inventors: **Richard A. Flaherty**, Grapeview, WA (US); **Matthew A. Gray**, Bremerton, WA (US); **Michael P. Coffey**, Port Orchard, WA (US)

(73) Assignee: **Leader Manufacturing, Inc.**, Port Orchard, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/317,805**

(22) Filed: **May 7, 2008**

Related U.S. Application Data

(62) Division of application No. 29/296,151, filed on Oct. 15, 2007, now Pat. No. Des. 570,515, which is a division of application No. 29/242,030, filed on Nov. 3, 2005, now Pat. No. Des. 558,373.

(51) **LOC (9) Cl.** **26-05**

(52) **U.S. Cl.** **D26/68**

(58) **Field of Classification Search** D26/67, D26/68, 70, 71, 72, 85, 87, 91, 92, 128; 362/145, 362/153, 153.1, 157, 183, 190, 191, 266, 362/362, 431, 812; D25/126
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,034,211	A	7/1912	De Palma	
D158,821	S	5/1950	Walter	
D318,136	S	7/1991	Kira	
D426,013	S	5/2000	Landefeld	
D435,130	S	12/2000	Landefeld	
D435,309	S	12/2000	Landefeld	
D439,000	S	3/2001	Landefeld	
D440,339	S	4/2001	Landefeld	
D442,312	S	5/2001	Metcheat, III	
6,533,446	B2	3/2003	Chen et al.	
D479,355	S	9/2003	Dalton et al.	
7,150,117	B2	12/2006	Venegas, Jr.	
D541,461	S *	4/2007	Flaherty	D26/67
D558,373	S *	12/2007	Flaherty et al.	D26/68
D570,515	S *	6/2008	Flaherty et al.	D26/68

OTHER PUBLICATIONS

All bollard designs by sitespecifier on webpage titled: "Bollards". Found online at sitespecifier.com on May 18, 2007.
All "Lighted Bollard Styles" by King Luminaire at kingluminaire.com. copyright 2007.
All "Unit Bollard Styles" by King Luminaire at kingluminaire.com. copyright 2007.

* cited by examiner

Primary Examiner—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Van Dyke, Gardner, Linn & Burkhardt, LLP

(57) **CLAIM**

The ornamental design for the lighted bollard, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of an embodiment of the lighted post of the present invention, which is identical to the rear elevation view, wherein the dotted lines showing additional construction details are for illustrative purposes only and do not form any part of the claimed design;

FIG. 2 is a left side elevation view of the lighted post of FIG. 1;

FIG. 3 is a right side elevation view of the lighted post of FIG. 1;


FIG. 4 is a top plan view of the lighted post of FIG. 1, the bottom plan view of which forms no part of the invention;

FIG. 5 is a front elevation view of another embodiment of the lighted post of the present invention, which is identical to the rear elevation view, wherein the dotted lines showing additional construction details are for illustrative purposes only and do not form any part of the claimed design;

FIG. 6 is a left side elevation view of the lighted post of FIG. 5, which is identical to the right side elevation view; and,

FIG. 7 is a top plan view of the lighted post of FIG. 5.

1 Claim, 2 Drawing Sheets






FIG. 3




FIG. 2




FIG. 1




FIG. 4




FIG. 7




FIG. 5




FIG. 6