



US00D592786S

(12) **United States Design Patent**  
**Bisberg et al.**

(10) **Patent No.:** **US D592,786 S**  
(45) **Date of Patent:** **\*\* May 19, 2009**

(54) **LED LIGHT FIXTURE**

**DESCRIPTION**

(75) Inventors: **Jeffrey Bisberg**, Boulder, CO (US);  
**Peter Van Laanen**, Boulder, CO (US);  
**Neil Cannon**, Boulder, CO (US); **Tracy Earles**,  
Boulder, CO (US); **Christopher Wilke**, Boulder, CO (US)

(73) Assignee: **AlbEO Technologies, Inc.**, Boulder, CO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/318,648**

(22) Filed: **May 23, 2008**

(51) **LOC (9) Cl.** ..... **26-03**

(52) **U.S. Cl.** ..... **D26/76**

(58) **Field of Classification Search** ..... D26/24–28,  
D26/37, 67, 72, 74–78, 80, 85, 89, 104, 108,  
D26/118, 120–122; 362/132, 145, 147–150,  
362/157, 217–225, 228, 260, 262–264, 267,  
362/310, 345, 364, 365, 368, 432, 440  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D130,570	S *	12/1941	Borkland	.....	D26/76
2,312,617	A *	3/1943	Beck	.....	362/221
6,076,943	A *	6/2000	Lassovsky	.....	362/283
D463,059	S *	9/2002	Verfuert	.....	D26/78
6,585,396	B1 *	7/2003	Verfuert	.....	362/260

(Continued)

*Primary Examiner*—Robert M. Spear

*Assistant Examiner*—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Lathrop & Gage LLP

(57) **CLAIM**

The ornamental design for an LED light fixture, as shown and described.

FIG. 1 is a perspective view, as seen from above, of a first embodiment of the LED light fixture;

FIG. 2 is an elevational view of one end of the LED light fixture of FIG. 1, enlarged relative to the view shown in FIG. 1, an opposing end of the LED light fixture being identical;

FIG. 3 is an elevational view of one side of the LED light fixture of FIG. 1, enlarged relative to the view shown in FIG. 1, an opposing side of the LED light fixture being a mirror image thereof;

FIG. 4 is a top plan view of the LED light fixture of FIG. 1, enlarged relative to the view shown in FIG. 1;

FIG. 5 is a bottom plan view of the LED light fixture of FIG. 1, enlarged relative to the view shown in FIG. 1;

FIG. 6 is a perspective view, as seen from below, of the LED light fixture of FIG. 1;

FIG. 7 is a perspective view, as seen from above, of a second embodiment of the LED light fixture;

FIG. 8 is an elevational view of one end of the LED light fixture of FIG. 7, enlarged relative to the view shown in FIG. 7, an opposing end of the LED light fixture being identical;


FIG. 9 is an elevational view of one side of the LED light fixture of FIG. 7, enlarged relative to the view shown in FIG. 7, an opposing side of the LED light fixture being a mirror image thereof;

FIG. 10 is a top plan view of the LED light fixture of FIG. 7, enlarged relative to the view shown in FIG. 7; and,

FIG. 11 is a bottom plan view of the LED light fixture of FIG. 7, enlarged relative to the view shown in FIG. 7.

In FIGS. 1, 3, 4, 5, 6, 7, 9, 10 and 11, the breaks and accompanying bracket indicate that the fixture has no specific length, and dashed lines indicate environmental structure that forms no part of the claimed design. A perspective view of the LED light fixture of FIG. 7, as seen from below, is identical to FIG. 6 (e.g., the perspective view as seen from below of the LED light fixture of FIG. 1).

**1 Claim, 11 Drawing Sheets**



# US D592,786 S

Page 2

---

## U.S. PATENT DOCUMENTS

D485,635 S *	1/2004	Schuetz et al. ....	D26/76	D499,504 S *	12/2004	Meyer .....	D26/76
6,758,580 B1 *	7/2004	Verfuerth .....	362/241	7,207,690 B2 *	4/2007	Haugaard et al. ....	362/225
D494,700 S *	8/2004	Hartman et al. ....	D26/76				

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6






FIG.7




FIG. 8




FIG. 9




FIG. 10




FIG. 11