



US00D592851S

(12) **United States Design Patent**
Shaw

(10) **Patent No.:** **US D592,851 S**
(45) **Date of Patent:** **** May 26, 2009**

(54) **TOTE BAG**

D467,728 S * 12/2002 Watkins et al. D3/233

(76) Inventor: **Marybeth Shaw**, 236 W. Lafayette Ave.,
Baltimore, MD (US) 21217

* cited by examiner

Primary Examiner—Holly H Baynham
(74) *Attorney, Agent, or Firm*—Rahman LLC

(**) Term: **14 Years**

(21) Appl. No.: **29/321,011**

(57) **CLAIM**

(22) Filed: **Jul. 9, 2008**

The ornamental design for a tote bag, as shown and described.

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D3/232**

(58) **Field of Classification Search** D3/232–233,
D3/240–246, 318–322, 324; 150/100, 103–104,
150/106–110, 114, 118–119

DESCRIPTION

See application file for complete search history.

FIG. 1 is a front perspective view of a tote bag with a detached external snap-on feature;

FIG. 2 is a front perspective view of a tote bag with an attached external snap-on feature;

FIG. 3 is a rear perspective view of a tote bag with a detached external snap-on feature; and,

FIG. 4 is a rear perspective view of a tote bag with an attached external snap-on feature.


(56) **References Cited**

U.S. PATENT DOCUMENTS

The broken lines shown on the tote bag represent stitching and is part of the claimed design.

- D258,997 S * 4/1981 Barnes D3/244
- D265,947 S * 8/1982 Nienstaedt D3/299
- D403,857 S * 1/1999 Grove D3/233

1 Claim, 2 Drawing Sheets






FIG. 2





FIG. 1






FIG. 4




FIG. 3