

US00D592861S

(12) **United States Design Patent**
Crye et al.

(10) **Patent No.:** **US D592,861 S**
(45) **Date of Patent:** **** May 26, 2009**

(54) **SUBSTRATE WITH CAMOUFLAGE PATTERN**

(75) Inventors: **Caleb Clark Crye**, Brooklyn, NY (US);
Eric Owen Fehlberg, Queens, NY (US)

(73) Assignee: **LineWeight LLC**, Brooklyn, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/268,831**

(22) Filed: **Nov. 14, 2006**

(51) **LOC (9) Cl.** **05-02**

(52) **U.S. Cl.** **D5/62**

(58) **Field of Classification Search** D5/1,
D5/2, 3, 7, 8, 11, 13, 14, 15, 16, 19, 20, 23,
D5/24, 25, 26, 27, 28, 30, 32, 35, 36, 37,
D5/39, 43, 46, 47, 49, 50, 52, 53, 54, 55,
D5/56, 57, 58, 59, 60, 61, 62, 63, 64, 65,
D5/66, 99; 428/95, 187, 198, 199, 540, 542.2,
428/919, 904.4; D2/749, 994; D6/582, 583,
D6/595, 596, 598, 603, 604, 605, 606, 608,
D6/613, 616, 617, 619, 622; D24/124, 125,
D24/126; D25/142, 152; 5/413 AM, 709;
162/109, 231; 156/148, 209; D7/396.4,
D7/396.5, 396

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D88,279 S	11/1932	Willheim	
D90,049 S	5/1933	Reiman	
3,967,026 A	6/1976	Dalblom	
4,576,904 A	3/1986	Anitole	
D297,076 S	8/1988	Kolpin et al.	
D297,596 S	9/1988	Marquart, Sr.	
D391,401 S *	3/1998	Josephs	D5/58
D391,402 S *	3/1998	Josephs	D5/58
D391,403 S *	3/1998	Josephs	D5/58
5,972,479 A	10/1999	Lehman	

6,061,828 A	5/2000	Josephs	
6,127,022 A	10/2000	Pretorius	
D469,260 S	1/2003	Hexels	
D471,720 S	3/2003	Simmons	
D474,613 S	5/2003	Hexels	
D474,897 S	5/2003	Clausen et al.	
D487,848 S	3/2004	Crye et al.	
D572,909 S *	7/2008	Crye et al.	D5/62

OTHER PUBLICATIONS

U.S. Appl. No. 29/268,099, filed Oct. 30, 2006, Crye et al.

* cited by examiner

Primary Examiner—Robert M. Spear

Assistant Examiner—Barbara B Lohr

(74) *Attorney, Agent, or Firm*—Stiennon & Stiennon

(57) **CLAIM**

The ornamental design for a substrate with camouflage pattern, as shown and described.

DESCRIPTION


The file of this patent contains at least one drawing/photograph executed in color. Copies of this patent with color drawing(s)/photograph(s) will be provided by the Patent and Trademark Office upon request and payment of the necessary fee.

FIG. 1 is a plan view of a camouflage pattern showing our new design in color. A unit of the design is enclosed within the broken lines of the drawing; and,

FIG. 2 is a plan view of an alternative embodiment camouflage pattern showing our new design. A unit of the design is enclosed within the broken lines of the drawing, the design is not limited in coloration.

The broken lines in the drawings represent the boundaries of the claimed design and form no part thereof.

1 Claim, 2 Drawing Sheets
(1 of 2 Drawing Sheet(s) Filed in Color)






FIG. 1

FIG. 1 is a perspective view of a decorative surface pattern, such as a fabric or paper, showing a dense, textured, and mottled appearance.




FIG. 2