



US00D593075S

(12) **United States Design Patent**
Williams et al.

(10) **Patent No.:** **US D593,075 S**
(45) **Date of Patent:** **** May 26, 2009**

(54) **EARHOOK AND EARBUD HEADSET**

(75) Inventors: **Jason Martin Williams**, Sandy Hook, CT (US); **David Robert Gray**, Milford, CT (US); **Marco Perry**, Brooklyn, NY (US); **Jordan B. Nollman**, San Francisco, CA (US); **William Webb**, San Francisco, CA (US)

(73) Assignee: **Societe BIC** (FR)

(**) Term: **14 Years**

(21) Appl. No.: **29/318,102**

(22) Filed: **May 13, 2008**

(51) **LOC (9) Cl.** **14-01**

(52) **U.S. Cl.** **D14/223**

(58) **Field of Classification Search** D14/205,
D14/206, 223, 188, 192, 142, 240; 181/129,
181/130; 381/380, 381, 385, 370, 374, 376,
381/377, 378, 379, 330; 379/430; 455/575.1,
455/575.2, 569.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|----------------|-------|---------|
| D311,521 S * | 10/1990 | Jonsson et al. | | D14/226 |
| D420,010 S * | 2/2000 | Pitel | | D14/240 |
| D421,755 S * | 3/2000 | Pitel | | D14/240 |
| D441,739 S * | 5/2001 | Hayes et al. | | D14/223 |
| D465,209 S * | 11/2002 | Rath | | D14/206 |
| D470,129 S * | 2/2003 | Hlas et al. | | D14/223 |
| D471,537 S * | 3/2003 | Ham | | D14/223 |
| D494,568 S * | 8/2004 | Pan | | D14/223 |
| D501,196 S * | 1/2005 | Dyer et al. | | D14/205 |
| D543,968 S * | 6/2007 | Wong | | D14/205 |
| D556,740 S * | 12/2007 | Xavier | | D14/223 |

| | | | | |
|--------------|---------|----------------|-------|---------|
| D566,104 S * | 4/2008 | Suzuki | | D14/223 |
| D573,137 S * | 7/2008 | Polito | | D14/223 |
| D575,772 S * | 8/2008 | Schultz et al. | | D14/223 |
| D581,395 S * | 11/2008 | Sade et al. | | D14/205 |

* cited by examiner

Primary Examiner—Paula Greene

(74) *Attorney, Agent, or Firm*—Cantor Colburn LLP

(57) **CLAIM**

What is claimed is the ornamental design for an earhook and earbud headset, as shown and described.

DESCRIPTION

FIG. 1 is an outside elevation view of one embodiment of the headset of our new design with the input wire to the earbud broken away;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a front elevation view thereof;

FIG. 6 is an inside elevation view thereof;

FIG. 7 is a perspective view thereof;

FIG. 8 is an outside elevation view of a second embodiment of the headset of our new design with the input wire to the earbud broken away;

FIG. 9 is a top view thereof;

FIG. 10 is a bottom view thereof;

FIG. 11 is a front elevation view thereof;

FIG. 12 is a rear elevation view thereof; and,

FIG. 13 is an inside elevation view thereof.

1 Claim, 5 Drawing Sheets







FIG. 2




FIG. 1




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 9




FIG. 8




FIG. 10



FIG. 11



FIG. 12




FIG. 13