



US00D593079S

(12) **United States Design Patent**  
**Schmitz et al.**

(10) **Patent No.:** **US D593,079 S**

(45) **Date of Patent:** **\*\* May 26, 2009**

(54) **ANTENNA TIP-OVER MOUNT**

(75) Inventors: **John J. Schmitz**, Macomb, MI (US);  
**Robert G. Washburn**, Sterling Heights,  
MI (US)

(73) Assignee: **The United States of America as  
represented by the Secretary of the  
Army**, Washington, DC (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/317,261**

(22) Filed: **Apr. 25, 2008**

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/238**

(58) **Field of Classification Search** ..... D14/230–238;  
D10/104; 343/888, 805, 882, 872, 873, 878,  
343/793, 741

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

378,809	A	2/1888	Stowell	
3,774,221	A	11/1973	Francis	
3,928,952	A	12/1975	Whyte	
4,101,897	A	7/1978	Morrison	
4,490,726	A	12/1984	Weir	
4,663,635	A *	5/1987	Wu	343/765
5,252,985	A	10/1993	Christinsin	
5,506,593	A	4/1996	Peng	
5,929,817	A *	7/1999	Clark	343/713
6,348,899	B1	2/2002	Bergstein	
6,450,464	B1 *	9/2002	Thomas	248/168
6,484,987	B2 *	11/2002	Weaver	248/278.1
6,577,281	B2 *	6/2003	Yamamoto et al.	343/766
6,791,501	B2	9/2004	Maeda et al.	
6,906,673	B1 *	6/2005	Matz et al.	343/760
7,259,724	B2 *	8/2007	Young et al.	343/765
7,268,743	B2 *	9/2007	Lin	343/880
7,408,526	B2 *	8/2008	Pan	343/880
2001/0028327	A1 *	10/2001	Yamamoto et al.	343/757
2002/0135531	A1 *	9/2002	Ehrenberg et al.	343/878

2007/0052604	A1 *	3/2007	Young et al.	343/757
2007/0132655	A1 *	6/2007	Lin	343/880
2008/0165076	A1 *	7/2008	Pan	343/882

**OTHER PUBLICATIONS**

Previously Used Antennia Tip-over Mount, circa 2005.

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—Ania K Dworzecka

(74) *Attorney, Agent, or Firm*—David L. Kuhn; Thomas W. Saur; Luis Miguel Acosta

(57) **CLAIM**

The ornamental design for an antenna tip-over mount, as shown and described.

**DESCRIPTION**

The invention described here may be made, used and licensed by and for the U.S. Government for governmental purposes without paying royalty to us.

FIG. 1 is a front, top, and left side perspective view of an antenna tip-over mount in accordance with the present invention wherein the mount in an un-tipped, upright position is illustrated;


FIG. 2 is a front, top, and right side perspective view of the antenna tip-over mount wherein the mount in an un-tipped, upright position, and implemented in a typical vehicle environment is illustrated;

FIG. 3 is a rear, top, and left side perspective view of the antenna tip-over mount wherein the mount in an un-tipped, upright position is illustrated;

FIG. 4 is a rear, top, and right side perspective view of the antenna tip-over mount wherein the mount in a partially-tipped, intermediate tilted position is illustrated;

FIG. 5 is a rear, top, and right side perspective view of the antenna tip-over mount wherein the mount in a fully-tipped, completely tilted down position is illustrated;

FIG. 6 is a front, top, and left side perspective view of the antenna tip-over mount wherein the mount in an un-tipped, upright position, and an example of a multiple antenna array



attached to the top of the mount via two height extensions and a protector rod installed in the front of the mount is illustrated;

FIG. 7 is a front, top, and left side perspective view of the antenna tip-over mount wherein the mount in an un-tipped, upright position, and an example of a single large-bodied antenna attached to the top of the mount and the protector rod installed in the front of the mount is illustrated;

FIG. 8 is a front, top, and left side perspective view of the antenna tip-over mount wherein the mount in an un-tipped, upright position, and an example of a height extension attached to the base of the mount is illustrated;

FIG. 9 is a top plan view of the antenna tip-over wherein the mount in an un-tipped, upright position is illustrated;

FIGS. 10 is a bottom plan view of the antenna tip-over wherein the mount in an un-tipped, upright position is illustrated;

FIG. 11 is a front side elevation view of the antenna tip-over mount wherein the mount in an un-tipped, upright position is illustrated;

FIG. 12 is a rear side elevation view of the antenna tip-over mount wherein the mount in an un-tipped, upright position is illustrated;

FIG. 13 is a right side elevation view of the antenna tip-over mount wherein the mount in an un-tipped, upright position is illustrated; and,

FIG. 14 is a left side elevation view of the antenna tip-over mount wherein the mount in an un-tipped, upright position is illustrated.

The broken lines depict environmental structure illustrating the design in a variety of conditions of use. The broken lines and structure they depict form no part of the claimed design.

**1 Claim, 14 Drawing Sheets**




Fig. 1






Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6






Fig. 7




Fig. 8




Fig. 9




Fig. 10






Fig. 11




Fig. 12




Fig. 13




Fig. 14