

US00D593151S

(12) **United States Design Patent**
Hammad

(10) **Patent No.:** **US D593,151 S**

(45) **Date of Patent:** **** *May 26, 2009**

(54) **COMMUNICATION DEVICE WITH
DIFFERENT GEOMETRICAL ENDS WITH
SHIELD**

(75) Inventor: **Ayman Hammad**, Pleasanton, CA (US)

(73) Assignee: **Visa U.S.A. Inc.**, San Francisco, CA
(US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/320,448**

(22) Filed: **Jun. 26, 2008**

Related U.S. Application Data

(62) Division of application No. 29/279,370, filed on Apr. 27, 2007.

(51) **LOC (9) Cl.** **19-08**

(52) **U.S. Cl.** **D19/10; D14/436**

(58) **Field of Classification Search** D19/1-25,
D19/34.1-34.5, 35-42, 52; D3/207, 208,
D3/212, 215; D20/22, 24, 27, 28, 40-43;
40/1.5, 6, 27, 107, 119, 120, 124, 299, 358,
40/617, 634, 636, 60, 662; 281/15.1, 33,
281/38; 108/60, 61; 248/44.1, 316.5, 460;
229/74; 206/39.6; D11/79; D8/347; D14/356,
D14/434-438

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D298,777 S * 11/1988 Gorman D24/194
D304,875 S * 12/1989 Benson D2/861

(Continued)

Primary Examiner—T. Chase Nelson
Assistant Examiner—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Townsend and Townsend and Crew LLP

(57) **CLAIM**

The ornamental design for a communication device with different geometrical ends with shield, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the communication device with different geometrical ends with shield showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front elevation view thereof;

FIG. 7 is a rear elevation view thereof;

FIG. 8 is a perspective view of a second embodiment of the design;

FIG. 9 is a top plan view thereof;

FIG. 10 is a left side elevation view thereof;

FIG. 11 is a right side elevation view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a front elevation view thereof;

FIG. 14 is a rear elevation view thereof;

FIG. 15 is a perspective view of a third embodiment of the design;

FIG. 16 is a top plan view thereof;

FIG. 17 is a left side elevation view thereof;



FIG. 18 is a right side elevation view thereof;

FIG. 19 is a bottom plan view thereof;

FIG. 20 is a front elevation view thereof; and,

FIG. 21 is a rear elevation view thereof.

1 Claim, 6 Drawing Sheets



US D593,151 S

Page 2

U.S. PATENT DOCUMENTS

D313,307 S *	1/1991	Jenkins	D2/861	D528,248 S *	9/2006	Kalichman	D28/10
D425,842 S *	5/2000	McNaughton	D12/190	D553,675 S *	10/2007	Hogg	D19/9
D457,556 S *	5/2002	Hochschild	D19/9	7,290,364 B2 *	11/2007	Nelms et al.	40/649
D476,693 S *	7/2003	Yuran	D20/22	D560,716 S *	1/2008	Halbur et al.	D19/9
7,065,195 B1 *	6/2006	Smith et al.	379/144.01	D572,752 S *	7/2008	Hammad	D19/10

* cited by examiner



FIG. 1



FIG. 3




FIG. 2




FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8




FIG. 10




FIG. 9



FIG. 11




FIG. 13




FIG. 12




FIG. 14




FIG. 15



FIG. 17




FIG. 16



FIG. 18



FIG. 20




FIG. 19




FIG. 21