

US00D593246S

(12) **United States Design Patent**
Fowler, Jr. et al.

(10) **Patent No.:** **US D593,246 S**
(45) **Date of Patent:** **** May 26, 2009**

(54) **FULL DISTRIBUTION TROFFER LUMINAIRE**
(75) Inventors: **Wilton L. Fowler, Jr.**, Easley, SC (US);
Martin C. Werr, Easley, SC (US);
Randy K. Lewis, Spartanburg, SC (US)

5,988,836 A * 11/1999 Swarens 362/364
6,092,913 A * 7/2000 Edwards, Jr. 362/260
6,280,052 B1 8/2001 White
D477,891 S * 7/2003 Fritze et al. D26/74
D496,121 S 9/2004 Santoro

(73) Assignee: **Hubbell Incorporated**, Orange, CT (US)

(Continued)

(**) Term: **14 Years**

Primary Examiner—Robert M. Spear
Assistant Examiner—Susan E Krakower
(74) *Attorney, Agent, or Firm*—Jenae C. Gureff; Mark S. Bicks; Alfred N. Goodman

(21) Appl. No.: **29/309,543**

(57) **CLAIM**

(22) Filed: **Aug. 29, 2008**

The ornamental design for a full distribution troffer luminaire, as shown and described.

(51) **LOC (9) Cl.** **26-03**

(52) **U.S. Cl.** **D26/76**

(58) **Field of Classification Search** D26/24–28,
D26/37, 63, 67–68, 72, 74–78, 80, 85, 88,
D26/89, 104, 108, 118, 120–122; 362/17,
362/132, 145, 147–150, 155–157, 217–225,
362/228, 260, 262–264, 267, 294, 310, 345,
362/362, 364, 249, 365, 368, 431, 432, 440;
D10/111, 114

DESCRIPTION

See application file for complete search history.

FIG. 1 is an enlarged bottom left perspective view of a full distribution troffer luminaire showing our new invention;

(56) **References Cited**

U.S. PATENT DOCUMENTS

362,189 A 12/1931 Waugh
D119,800 S * 4/1940 Carter, Jr. D26/78
D132,786 S * 6/1942 Netting D26/78
2,323,073 A 6/1943 Netting
3,209,142 A 9/1965 Michel et al.
D257,894 S * 1/1981 DiBernardo D26/75
4,277,820 A 7/1981 Bostonian
D284,110 S * 6/1986 Mullins D26/76
4,674,016 A * 6/1987 Gallagher 362/240
D374,301 S * 10/1996 Kleffman D26/76
D399,586 S * 10/1998 Ranieri et al. D26/74
D407,473 S * 3/1999 Wimbock D23/328
D411,641 S 6/1999 Ranieri et al.
D413,402 S * 8/1999 Ranieri et al. D26/74
5,950,340 A 9/1999 Woo
5,988,829 A * 11/1999 Holder 362/217

FIG. 2 is an enlarged bottom right perspective view of the luminaire illustrated in FIG. 1;

FIG. 3 is a top plan view of the luminaire illustrated in FIGS. 1 and 2;

FIG. 4 is a rear elevational view of the luminaire illustrated in FIGS. 1–3;

FIG. 5 is a left side elevational view of the luminaire illustrated in FIGS. 1–4;

FIG. 6 is a front elevational view of the luminaire illustrated in FIGS. 1–5;


FIG. 7 is a right side elevational view of the luminaire illustrated in FIGS. 1–6; and,

FIG. 8 is a bottom plan view of the luminaire illustrated in FIGS. 1–7.

The broken lines illustrate environmental structure and forms no part of the claimed design.

The luminaire is shown broken away to indicate no specific length is claimed.

1 Claim, 4 Drawing Sheets



US D593,246 S

Page 2

U.S. PATENT DOCUMENTS

D541,467 S	4/2007	Gould	
D541,468 S	4/2007	Mayfield et al.	
D544,633 S *	6/2007	Mayfield et al. D26/118
D544,634 S	6/2007	Mayfield et al.	
D544,992 S *	6/2007	Mayfield et al. D26/118
D544,993 S *	6/2007	Mayfield et al. D26/118
D545,476 S	6/2007	Friedman	
D545,481 S *	6/2007	Mayfield et al. D26/118
D545,482 S *	6/2007	Mayfield et al. D26/118
D545,483 S	6/2007	Mayfield et al.	
7,229,192 B2	6/2007	Mayfield et al.	
D545,991 S	7/2007	Mayfield et al.	
D545,992 S	7/2007	Mayfield et al.	
D545,993 S	7/2007	Mayfield et al.	
7,261,435 B2	8/2007	Gould et al.	
D553,781 S	10/2007	Pickard et al.	
7,296,910 B2	11/2007	Mayfield et al.	
D561,383 S	2/2008	Hukle et al.	
D561,930 S	2/2008	Hukle et al.	
2005/0281023 A1	12/2005	Gould et al.	
2007/0133215 A1	6/2007	Mayfield et al.	
2007/0139918 A1 *	6/2007	Laukhuf 362/217
2007/0211457 A1 *	9/2007	Mayfield et al. 362/223
2007/0291481 A1	12/2007	Gould et al.	
2008/0019126 A1	1/2008	Straton et al.	

* cited by examiner




FIG. 1




FIG. 2



FIG. 4




FIG. 5




FIG. 3




FIG. 7




FIG. 6




FIG. 8