

US00D593246S

(12) **United States Design Patent**
Fowler, Jr. et al.

(10) **Patent No.:** **US D593,246 S**
(45) **Date of Patent:** **** May 26, 2009**

(54) **FULL DISTRIBUTION TROFFER LUMINAIRE**
(75) Inventors: **Wilton L. Fowler, Jr.**, Easley, SC (US);
Martin C. Werr, Easley, SC (US);
Randy K. Lewis, Spartanburg, SC (US)

(73) Assignee: **Hubbell Incorporated**, Orange, CT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/309,543**

(22) Filed: **Aug. 29, 2008**

(51) **LOC (9) Cl.** **26-03**

(52) **U.S. Cl.** **D26/76**

(58) **Field of Classification Search** D26/24–28,
D26/37, 63, 67–68, 72, 74–78, 80, 85, 88,
D26/89, 104, 108, 118, 120–122; 362/17,
362/132, 145, 147–150, 155–157, 217–225,
362/228, 260, 262–264, 267, 294, 310, 345,
362/362, 364, 249, 365, 368, 431, 432, 440;
D10/111, 114

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

362,189	A	12/1931	Waugh	
D119,800	S *	4/1940	Carter, Jr.	D26/78
D132,786	S *	6/1942	Netting	D26/78
2,323,073	A	6/1943	Netting	
3,209,142	A	9/1965	Michel et al.	
D257,894	S *	1/1981	DiBernardo	D26/75
4,277,820	A	7/1981	Bostonian	
D284,110	S *	6/1986	Mullins	D26/76
4,674,016	A *	6/1987	Gallagher	362/240
D374,301	S *	10/1996	Kleffman	D26/76
D399,586	S *	10/1998	Ranieri et al.	D26/74
D407,473	S *	3/1999	Wimbock	D23/328
D411,641	S	6/1999	Ranieri et al.	
D413,402	S *	8/1999	Ranieri et al.	D26/74
5,950,340	A	9/1999	Woo	
5,988,829	A *	11/1999	Holder	362/217

5,988,836	A *	11/1999	Swarens	362/364
6,092,913	A *	7/2000	Edwards, Jr.	362/260
6,280,052	B1	8/2001	White	
D477,891	S *	7/2003	Fritze et al.	D26/74
D496,121	S	9/2004	Santoro	

(Continued)

Primary Examiner—Robert M. Spear
Assistant Examiner—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Jenae C. Gureff; Mark S. Bicks; Alfred N. Goodman

(57) **CLAIM**

The ornamental design for a full distribution troffer luminaire, as shown and described.

DESCRIPTION

FIG. 1 is an enlarged bottom left perspective view of a full distribution troffer luminaire showing our new invention;

FIG. 2 is an enlarged bottom right perspective view of the luminaire illustrated in FIG. 1;

FIG. 3 is a top plan view of the luminaire illustrated in FIGS. 1 and 2;

FIG. 4 is a rear elevational view of the luminaire illustrated in FIGS. 1–3;

FIG. 5 is a left side elevational view of the luminaire illustrated in FIGS. 1–4;

FIG. 6 is a front elevational view of the luminaire illustrated in FIGS. 1–5;


FIG. 7 is a right side elevational view of the luminaire illustrated in FIGS. 1–6; and,

FIG. 8 is a bottom plan view of the luminaire illustrated in FIGS. 1–7.

The broken lines illustrate environmental structure and forms no part of the claimed design.

The luminaire is shown broken away to indicate no specific length is claimed.

1 Claim, 4 Drawing Sheets



US D593,246 S

Page 2

U.S. PATENT DOCUMENTS

D541,467 S	4/2007	Gould	
D541,468 S	4/2007	Mayfield et al.	
D544,633 S *	6/2007	Mayfield et al. D26/118
D544,634 S	6/2007	Mayfield et al.	
D544,992 S *	6/2007	Mayfield et al. D26/118
D544,993 S *	6/2007	Mayfield et al. D26/118
D545,476 S	6/2007	Friedman	
D545,481 S *	6/2007	Mayfield et al. D26/118
D545,482 S *	6/2007	Mayfield et al. D26/118
D545,483 S	6/2007	Mayfield et al.	
7,229,192 B2	6/2007	Mayfield et al.	
D545,991 S	7/2007	Mayfield et al.	
D545,992 S	7/2007	Mayfield et al.	
D545,993 S	7/2007	Mayfield et al.	
7,261,435 B2	8/2007	Gould et al.	
D553,781 S	10/2007	Pickard et al.	
7,296,910 B2	11/2007	Mayfield et al.	
D561,383 S	2/2008	Hukle et al.	
D561,930 S	2/2008	Hukle et al.	
2005/0281023 A1	12/2005	Gould et al.	
2007/0133215 A1	6/2007	Mayfield et al.	
2007/0139918 A1 *	6/2007	Laukhuf 362/217
2007/0211457 A1 *	9/2007	Mayfield et al. 362/223
2007/0291481 A1	12/2007	Gould et al.	
2008/0019126 A1	1/2008	Straton et al.	

* cited by examiner




FIG. 1




FIG. 2



FIG. 4




FIG. 5




FIG. 3




FIG. 7




FIG. 6




FIG. 8