

US00D593321S

(12) **United States Design Patent**
Wente

(10) **Patent No.:** **US D593,321 S**
(45) **Date of Patent:** **** Jun. 2, 2009**

(54) **WALLET**

(75) Inventor: **John Wente**, Sheboygan, WI (US)

(73) Assignee: **Wente Enterprises, Inc.**, Sheboygan, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/310,787**

(22) Filed: **Sep. 10, 2008**

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D3/247**

(58) **Field of Classification Search** D3/232–233,
D3/240–252; 150/100, 103–104, 106–110,
150/114, 118–119, 131–133, 147
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D174,527 S *	4/1955	Chase	D3/299
D228,819 S *	10/1973	Resnick	D3/241
4,717,908 A	1/1988	Phillips et al.		
5,394,913 A	3/1995	Zezza, Jr. et al.		
D369,239 S	4/1996	Deutch		
D388,605 S	1/1998	Callahan et al.		

(Continued)

Primary Examiner—Holly H Baynham

(74) *Attorney, Agent, or Firm*—Ryan Kromholz & Manion, S.C.

(57) **CLAIM**

The ornamental design for a wallet, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the invention in its closed position;

FIG. 2 is a front plan view thereof;

FIG. 3 is a back plan view thereof;

FIG. 4 is a left side elevation view thereof;

FIG. 5 is a right side elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a perspective view of the invention in its open position;

FIG. 9 is an exterior view thereof;

FIG. 10 is an interior view thereof;

FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a left side elevation view thereof;

FIG. 14 is a right side elevation view thereof;

FIG. 15 is a perspective view of a second embodiment of the invention in its closed position;

FIG. 16 is a front plan view thereof;

FIG. 17 is a back plan view thereof;

FIG. 18 is a left side elevation view thereof;

FIG. 19 is a right side elevation view thereof;

FIG. 20 is a top plan view thereof;

FIG. 21 is a bottom plan view thereof;

FIG. 22 is a perspective view of the invention in its open position;

FIG. 23 is an exterior view thereof;

FIG. 24 is an interior view thereof;

FIG. 25 is a top plan view thereof;



FIG. 26 is a bottom plan view thereof;

FIG. 27 is a left side elevation view thereof; and,

FIG. 28 is a right side elevation view thereof.

The broken lines shown in the drawings are illustrative of environmental structure only and form no part of the claimed design

1 Claim, 12 Drawing Sheets



US D593,321 S

Page 2

U.S. PATENT DOCUMENTS

D393,943 S *	5/1998	Franklin et al.	D3/273	D544,259 S *	6/2007	Schmidt et al.	D6/510
D400,352 S	11/1998	Akutsu		7,261,133 B1	8/2007	Copeland	
D400,705 S	11/1998	Akutsu		D550,453 S	9/2007	Ford et al.	
D409,613 S *	5/1999	McGee et al.	D14/189	D561,506 S *	2/2008	Gaska et al.	D6/510
6,651,813 B2	11/2003	Vallans et al.		D564,759 S *	3/2008	Zemel	D3/321
D497,508 S	10/2004	Dardashti		D570,112 S	6/2008	McDowell et al.	
D510,187 S	10/2005	Chan		2007/0109130 A1	5/2007	Edenfield	
D523,635 S *	6/2006	Chen	D3/282				

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4

Fig. 5





Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11



Fig. 12



Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19





Fig. 20

Fig. 21






Fig. 22




Fig. 23




Fig. 24



Fig. 25



Fig. 26




Fig. 27




Fig. 28