

US00D593423S

(12) **United States Design Patent**
Schreiter et al.

(10) **Patent No.:** **US D593,423 S**
(45) **Date of Patent:** **** *Jun. 2, 2009**

(54) **EVACUABLE, RESEALABLE BAG**

(75) Inventors: **Michael E. Schreiter**, Appleton, WI
(US); **Mladomir Tomic**, Appleton, WI
(US); **Paul A. Tilman**, Sherwood, WI
(US); **Paul J. Tretina**, Glen Allen, VA
(US)

(73) Assignee: **Reynolds Foil Inc.**, Richmond, VA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/250,141**

(22) Filed: **Nov. 3, 2006**

(51) **LOC (9) Cl.** **09-05**

(52) **U.S. Cl.** **D9/709**

(58) **Field of Classification Search** D9/704–710,
D9/713–714, 720–722, 430–433, 414, 418,
D9/424; 383/45, 47, 84, 100, 103, 107, 108,
383/113, 114, 200, 203, 205; 229/87.06,
229/87.08, 200; 426/106

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D103,446 S	3/1937	Amend	
3,123,279 A *	3/1964	Day	383/102
4,266,692 A *	5/1981	Clark	222/94
D386,671 S	11/1997	Park	
5,881,881 A	3/1999	Carrington	
5,996,800 A	12/1999	Pratt	
D421,307 S	2/2000	Harmanoglu	
6,279,581 B1	8/2001	Knepper	

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 2004/002840 A1 1/2004

WO	WO 2004/002841 A1	1/2004
WO	WO 2004/002850 A1	1/2004
WO	WO 2005/000706 A1	1/2005
WO	WO 2007/001469 A1	1/2007

Primary Examiner—Joel Sincavage

Assistant Examiner—Abraham Bahta

(74) *Attorney, Agent, or Firm*—Greenberg Traurig

(57) **CLAIM**

The ornamental design for an evacuable, resealable bag, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the evacuable, resealable bag, showing an embodiment of the present design;

FIG. 2 is a front elevation view of the embodiment of the present design illustrated in FIG. 1;

FIG. 3 is a rear elevation view of the embodiment of the present design illustrated in FIG. 1;

FIG. 4 is a right elevation view of the embodiment of the present design illustrated in FIG. 1;

FIG. 5 is a left elevation view of the embodiment of the present design illustrated in FIG. 1;

FIG. 6 is a top plan view of the embodiment of the present design illustrated in FIG. 1;

FIG. 7 is a bottom plan view of the embodiment of the present design illustrated in FIG. 1.



FIG. 8 is an exploded perspective view of the present design illustrated in FIG. 1;

FIG. 9 is a front elevation view of a second embodiment of the present design without a writing surface;

FIG. 10 is a rear elevation view of a third embodiment of the present design wherein the writing surface is on the rear of the bag; and,

FIG. 11 is a front elevation view of a fourth embodiment of the present design illustrating an alternative valve location.

1 Claim, 9 Drawing Sheets



U.S. PATENT DOCUMENTS									
						2005/0025396	A1	2/2005	ErkenBrack
						2005/0079308	A1	4/2005	Tanaka
D467,170	S	*	12/2002	Kinigakis et al.	D9/709	2005/0172577	A1	8/2005	Oltrogge
6,550,966	B1		4/2003	Saad		2005/0244083	A1	11/2005	McMahon
6,932,509	B2		8/2005	Shah		2005/0286808	A1	12/2005	Zimmerman
6,964,519	B2		11/2005	ErkenBrack		2006/0048483	A1	3/2006	Tilman
D513,192	S	*	12/2005	Lin	D9/702	2006/0182371	A1	8/2006	Borchardt
6,983,845	B2		1/2006	Shah		2006/0280387	A1	12/2006	Zimmerman
7,004,632	B2		2/2006	Hamilton		2006/0280388	A1	12/2006	Zimmerman
7,137,738	B2		11/2006	Shah		2006/0280389	A1	12/2006	Zimmerman
D545,217	S	*	6/2007	Jeric et al.	D9/709	2006/0283148	A1	12/2006	Zimmerman
D555,009	S		11/2007	Lin					
2004/0114837	A1		6/2004	Koyanagi		* cited by examiner			




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6





FIG. 7






FIG. 9




FIG. 10




FIG. 11