



US00D593448S

(12) **United States Design Patent**
Smith et al.

(10) **Patent No.:** **US D593,448 S**
(45) **Date of Patent:** **** Jun. 2, 2009**

(54) **SEAT BELT DEVICE FOR ELIMINATION
FLAPPING NOISE**

(75) Inventors: **Ronald Francis Smith**, Pittsburgh, PA
(US); **Ronald James Smith**, Pittsburgh,
PA (US)

(73) Assignees: **Ronald F Smith**, Pittsburgh, PA (US);
Ronald J Smith, Pittsburgh, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/253,192**

(22) Filed: **Feb. 3, 2006**

(51) **LOC (9) Cl.** **02-07**

(52) **U.S. Cl.** **D11/200**

(58) **Field of Classification Search** D11/200–201,
D11/206–210, 214–216, 218; 24/163 R,
24/169–171, 173, 177–179, 191, 194, 195,
24/200, 197

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,384,390 A * 5/1983 Hayakawa 224/163

4,541,151 A * 9/1985 Herchenbach et al. . 24/265 WS
D354,456 S * 1/1995 St. Clair D11/215
D433,650 S * 11/2000 Gable D11/200
D469,383 S * 1/2003 Young D11/200
D470,793 S * 2/2003 Horn et al. D11/200

* cited by examiner

Primary Examiner—R. Seifert

(57) **CLAIM**

The ornamental design for a seat belt device for elimination
flapping noise, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a seat belt device for
eliminating flapping noise showing our new design;

FIG. 2 is a top plan view;

FIG. 3 is a front elevational view, shown in an open position;

FIG. 4 is a top plan view of FIG. 3;


FIG. 5 is a left side perspective view;

FIG. 6 is a right side perspective view;

FIG. 7 is a left rear perspective view; and,

FIG. 8 is a right rear perspective view.

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8