

US00D593484S

(12) **United States Design Patent**  
**Kim et al.**

(10) **Patent No.:** **US D593,484 S**  
(45) **Date of Patent:** **\*\* Jun. 2, 2009**

(54) **TIRE FOR AUTOMOBILE**

D540,249 S \* 4/2007 Lo ..... D12/549  
D562,219 S \* 2/2008 Oh ..... D12/550

(75) Inventors: **Min woo Kim**, Yangsan-si (KR); **Seung il Choi**, Yangsan-si (KR)

\* cited by examiner

(73) Assignee: **NEXEN TIRE Co., Inc.**,  
Gyeongsangnam-do (KR)

*Primary Examiner*—Stacia Cadmus  
(74) *Attorney, Agent, or Firm*—Hoffmann & Baron, LLP

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/306,027**

The ornamental design for an tire for automobile, as shown and described.

(22) Filed: **Apr. 1, 2008**

**DESCRIPTION**

(51) **LOC (9) Cl.** ..... **12-15**

FIG. 1 is a perspective view of an tire for automobile showing the new design;

(52) **U.S. Cl.** ..... **D12/550**

FIG. 2 is a front view of the tire for automobile shown in FIG. 1, it being understood that the pattern repeats uniformly throughout the circumference of the tire;

(58) **Field of Classification Search** ..... D12/533,  
D12/546–567, 900–901; 152/209.1, 209.8–209.18,  
152/209.25–209.28, 455

FIG. 3 is a rear view of the tire for automobile shown in FIG. 1;

See application file for complete search history.

(56) **References Cited**

FIG. 4 is a left side view of the tire for automobile shown in FIG. 1, which is the same as the right side view thereof;

**U.S. PATENT DOCUMENTS**

D409,956 S *	5/1999	Gerresheim et al. ....	D12/550
D450,652 S *	11/2001	Shimizu et al. ....	D12/549
D458,581 S *	6/2002	Akiyama et al. ....	D12/550
D462,647 S *	9/2002	Heinen .....	D12/550
D502,443 S *	3/2005	Kuramochi et al. ....	D12/555
D510,903 S *	10/2005	Kuramochi et al. ....	D12/550
D516,997 S *	3/2006	Furusawa et al. ....	D12/550

FIG. 5 is an enlarged view showing a portion of the tire for automobile shown in FIG. 2; and,

FIG. 6 is a further enlarged view showing a portion of the tire for automobile shown in FIG. 5.

**1 Claim, 5 Drawing Sheets**





Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 6





Fig. 5



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 593,484 S  
APPLICATION NO. : 29/306027  
DATED : June 2, 2009  
INVENTOR(S) : Kim et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**IN THE TITLE PAGE:**

(73) Assignee: now reads "NEXEN TIRE Co., Inc."  
should read --NEXEN TIRE Co., Ltd.--.

Signed and Sealed this

Twenty-third Day of March, 2010



David J. Kappos  
*Director of the United States Patent and Trademark Office*