



US00D593548S

(12) **United States Design Patent**  
**von Meiss et al.**

(10) **Patent No.:** **US D593,548 S**

(45) **Date of Patent:** **\*\* Jun. 2, 2009**

(54) **MICROPHONE**

(75) Inventors: **Basil von Meiss**, Zurich (CH); **Christian Harbeke**, Zurich (CH); **Remo Vaterlaus**, Bern (CH)

(73) Assignee: **Phonak AG**, Stafa (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/306,918**

(22) Filed: **Apr. 18, 2008**

(51) **LOC (9) Cl.** ..... **14-01**

(52) **U.S. Cl.** ..... **D14/226; D14/206**

(58) **Field of Classification Search** ..... D14/205, D14/206, 223, 225, 226, 227, 228; D13/133, D13/153, 154; 379/430, 433.03, 438, 420.04; 381/380, 381, 382, 385, 376, 330, 370; 181/158; 455/90, 351, 575.2

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,179,615	A *	11/1939	Craig	.....	381/380
D218,173	S *	7/1970	Hutchings	.....	D14/206
D226,273	S *	2/1973	Tyson et al.	.....	D14/206
4,118,606	A *	10/1978	Larkin	.....	379/430
D309,305	S *	7/1990	von Hall	.....	D14/225
D368,719	S *	4/1996	Luther	.....	D14/228
5,761,298	A *	6/1998	Davis et al.	.....	379/430
D430,139	S *	8/2000	Peters et al.	.....	D14/205
6,198,821	B1 *	3/2001	Yang	.....	379/420.04
D450,041	S *	11/2001	Nakashima et al.	.....	D13/153
D462,946	S *	9/2002	Beraut et al.	.....	D14/228

D471,890	S *	3/2003	Clarkson	.....	D14/205
6,608,908	B1 *	8/2003	Galet et al.	.....	381/376
6,823,171	B1 *	11/2004	Kaario	.....	455/41.1
6,898,295	B2 *	5/2005	Inamura et al.	.....	381/385
D525,617	S *	7/2006	Darbut	.....	D14/223
D533,865	S *	12/2006	Wittenbrock et al.	.....	D14/206
D565,557	S *	4/2008	Kaneda	.....	D14/226
D578,508	S *	10/2008	Wang	.....	D14/206
7,447,529	B2 *	11/2008	Gunter et al.	.....	455/575.2

\* cited by examiner

*Primary Examiner*—Paula Greene

(74) *Attorney, Agent, or Firm*—Rankin, Hill & Clark LLP

(57) **CLAIM**

The ornamental design for a microphone, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a microphone embodying our design;

FIG. 2 is a side view of the microphone shown in FIG. 1;

FIG. 3 is an opposite side view of the microphone shown in FIG. 2;

FIG. 4 is top view of the microphone shown in FIG. 1;



FIG. 5 is a bottom view of the microphone shown in FIG. 1;

FIG. 6 is a rear view of the microphone shown in FIG. 1; and,

FIG. 7 is a front view of the microphone shown in FIG. 1.

In the Figures, the broken lines form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7