



US00D593639S

(12) **United States Design Patent**  
**Akiba et al.**

(10) **Patent No.:** **US D593,639 S**  
(45) **Date of Patent:** **\*\* Jun. 2, 2009**

(54) **REEL SEAT FOR FISHING ROD**

D389,554 S \* 1/1998 Ohmura ..... D22/142

(75) Inventors: **Masaru Akiba**, Higashikurume (JP);  
**Ryosuke Imai**, Higashikurume (JP);  
**Kunio Tayama**, Musashino (JP)

\* cited by examiner

*Primary Examiner*—Catherine R Oliver  
(74) *Attorney, Agent, or Firm*—Sughrue Mion, PLLC

(73) Assignee: **Daiwa Seiko, Inc.**, Tokyo (JP)

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/318,500**

The ornamental design for a reel seat for fishing rod, as shown and described.

(22) Filed: **May 21, 2008**

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Nov. 22, 2007 (JP) ..... 2007-032176

FIG. 1 is a top perspective view of the reel seat for fishing rod of the present invention;

(51) **LOC (9) Cl.** ..... **22-05**

FIG. 2 is a bottom perspective view thereof;

(52) **U.S. Cl.** ..... **D22/142**

FIG. 3 is a side elevation view thereof;

(58) **Field of Classification Search** ..... D22/142,  
D22/134, 137-139; 43/18.1, 22-23  
See application file for complete search history.

FIG. 4 is an opposite side elevation view thereof;

FIG. 5 is a front elevation view thereof;

FIG. 6 is a rear elevation view thereof;

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

D349,942 S 8/1994 Oyama et al.  
D388,152 S \* 12/1997 Ohmura ..... D22/142

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5






FIG. 7




FIG. 8