

US00D593711S

(12) **United States Design Patent**
Yamamoto

(10) **Patent No.:** **US D593,711 S**
(45) **Date of Patent:** **** Jun. 2, 2009**

(54) **ELONGATED SAFETY RAZOR HOLDER**

D558,923 S * 1/2008 Watson et al. D28/48
D569,551 S * 5/2008 Micinilio et al. D28/46

(75) Inventor: **Masayasu Yamamoto**, Gifu (JP)

* cited by examiner

(73) Assignee: **Kai R&D Center Co., Ltd.**, Gifu (JP)

Primary Examiner—Jennifer Rivard

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Jordan and Hamburg LLP

(21) Appl. No.: **29/308,618**

(57) **CLAIM**

(22) Filed: **Jun. 26, 2008**

I claim the ornamental design for the elongated safety razor holder, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Feb. 15, 2008 (JP) 2008-003316

(51) **LOC (9) Cl.** **28-03**

FIG. 1 is a front view of an elongated safety razor holder showing my new design;

(52) **U.S. Cl.** **D28/48**

FIG. 2 is a rear elevation view thereof;

(58) **Field of Classification Search** 30/32,
30/34.05, 34.1–34.2, 41–41.8, 44–45, 48–50,
30/526–533; D28/44, 45–48

FIG. 3 is a top plan view thereof, the bottom plan view being a mirror image;

See application file for complete search history.

FIG. 4 is a right side elevational view thereof; and,

FIG. 5 is a left side elevational view thereof.



(56) **References Cited**

The broken lines connecting the outer solid lines along the head of the elongated safety razor holder represent the bounds of the claim. The remaining broken lines illustrate portions of the article. None of the broken lines form part of the claimed design.

U.S. PATENT DOCUMENTS

D403,113 S * 12/1998 Kohring et al. D28/48
D500,172 S 12/2004 Fields
D511,024 S * 10/2005 Dombrowski et al. D28/48
D516,244 S 2/2006 Efthimiadis et al.
D541,477 S 4/2007 Rhoad et al.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5