



US00D593860S

(12) **United States Design Patent**
Bradley et al.

(10) **Patent No.:** **US D593,860 S**
(45) **Date of Patent:** **** Jun. 9, 2009**

- (54) **DISPENSER** 3,494,515 A 2/1970 Fattori
- D253,455 S 11/1979 Beene
- (75) Inventors: **Christopher Bradley**, Orinda, CA (US); D259,397 S 6/1981 Kerns
- John Jamieson**, Walnut Creek, CA (US); D270,039 S 8/1983 Lipscombe
- Jeffrey Tilley**, La Honda, CA (US); D273,366 S * 4/1984 Polenghi D9/645
- John C. Crawford**, Mahopac, NY (US) D280,707 S 9/1985 Imanishi
- (73) Assignee: **Colgate-Palmolive Company**, New D281,670 S 12/1985 Thieffry
- York, NY (US) D288,782 S 3/1987 Monod
- (**) Term: **14 Years** D290,443 S 6/1987 Durand
- D315,097 S 3/1991 Sgariboldi
- (21) Appl. No.: **29/306,216** D322,029 S 12/1991 Caputo
- D325,751 S 4/1992 Futino
- (22) Filed: **Apr. 4, 2008** 5,137,162 A 8/1992 Fritz
- D337,258 S 7/1993 Mansau
- D342,902 S 1/1994 Granai
- D354,441 S 1/1995 Fontanella
- D362,187 S 9/1995 Thompson

Related U.S. Application Data

- (62) Division of application No. 29/256,764, filed on Mar. 24, 2006, now Pat. No. Des. 569,263.
- (51) **LOC (9) Cl.** **09-01**
- (52) **U.S. Cl.** **D9/500**
- (58) **Field of Classification Search** D9/500-575,
D9/682, 686, 688-691; D7/598, 608; 215/379,
215/381-382; 220/660, 662, 669-672, 675
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- D3,836 S * 2/1870 Wicks et al. D9/500
- D036,493 S 8/1903 Alland
- D49,555 S 8/1916 Vivaudou
- 1,716,525 A 6/1929 Leong
- D96,413 S 7/1935 Petaja
- D097,968 S 12/1935 Bowen
- D100,122 S * 6/1936 Petaja D9/645
- D106,034 S 9/1937 Harrison
- D146,098 S 12/1946 D'Anselme
- D168,110 S 11/1952 Montenier
- D171,540 S 2/1954 Grun
- 2,915,251 A 12/1959 North, Jr.
- D212,525 S 10/1968 Kneapler
- D214,307 S 6/1969 Vignelli
- 3,470,929 A 10/1969 Thornton

(Continued)

Primary Examiner—Ian Simmons
Assistant Examiner—Dana L Sipos
(74) *Attorney, Agent, or Firm*—Amy M. Fernandez


(57) **CLAIM**

The ornamental design for a dispenser, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, left side perspective view of a dispenser showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken line showing of threads on the upper part of the container the bottom surface of the container is for illustrative purposes only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D593,860 S

Page 2

U.S. PATENT DOCUMENTS

D362,385 S	9/1995	Wacker	D449,230 S	10/2001	Harris et al.	
D380,390 S	7/1997	Varlet	D453,296 S	2/2002	Granai	
D386,963 S	12/1997	Hsu	D464,571 S	10/2002	Hill et al.	
D390,783 S	2/1998	Schneider et al.	D465,733 S	11/2002	Hill	
D392,895 S	3/1998	Kuzma et al.	D477,991 S	8/2003	Dretzka	
D404,295 S	1/1999	Bertolini et al.	D478,273 S	8/2003	Derman	
D406,482 S	3/1999	Kerr	D496,207 S	9/2004	Wang	
D416,154 S	11/1999	Diehl	D509,742 S *	9/2005	Biondich et al.	D9/519
D423,360 S	4/2000	Hirato et al.	D527,258 S	8/2006	Crawford	
D429,649 S	8/2000	Kotyuk	D537,362 S	2/2007	Ivankovic	
D442,834 S *	5/2001	Perez	D545,680 S *	7/2007	Cha et al.	D9/519
		D7/628	D569,263 S *	5/2008	Bradley et al.	D9/691

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7