



US00D593940S

(12) **United States Design Patent**  
**Nomi et al.**

(10) **Patent No.:** **US D593,940 S**

(45) **Date of Patent:** **\*\* Jun. 9, 2009**

(54) **BATTERY**

(75) Inventors: **Takuo Nomi**, Osaka (JP); **Shinji Oda**, Osaka (JP)

(73) Assignee: **Sanyo Electric Co., Ltd.**, Osaka (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/290,560**

(22) Filed: **Dec. 17, 2007**

(30) **Foreign Application Priority Data**

Jun. 18, 2007 (JP) ..... 2007-016095  
Jun. 18, 2007 (JP) ..... 2007-016096

(51) **LOC (9) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/103**

(58) **Field of Classification Search** ..... D13/102–106,  
D13/110, 118–121, 184; 429/96–100, 163,  
429/176

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,075,556 A \* 10/1913 Fenoughty ..... 429/99  
D280,717 S \* 9/1985 Scheid et al. .... D13/103  
D355,158 S \* 2/1995 Alexandres et al. .... D13/103  
D358,126 S \* 5/1995 Sakuma et al. .... D13/103  
D363,055 S \* 10/1995 Kobayashi et al. .... D13/103  
D417,861 S \* 12/1999 Maeyama ..... D13/103  
6,045,398 A \* 4/2000 Narita et al. .... 439/500  
6,447,949 B2 \* 9/2002 Iwata et al. .... 429/185  
D516,019 S \* 2/2006 Ohsako et al. .... D13/103  
D530,663 S \* 10/2006 Curello et al. .... D13/103  
D537,034 S \* 2/2007 Kang et al. .... D13/103  
D538,222 S \* 3/2007 Curello et al. .... D13/103  
D548,684 S \* 8/2007 Eto et al. .... D13/103  
D561,094 S \* 2/2008 Sween et al. .... D13/110

D576,100 S \* 9/2008 Wang ..... D13/110  
2003/0129487 A1 \* 7/2003 Inoue et al. .... 429/176  
2004/0191612 A1 \* 9/2004 Akita et al. .... 429/94

\* cited by examiner

*Primary Examiner*—Jennifer Rivard

*Assistant Examiner*—Rosemary K Tarcza

(74) *Attorney, Agent, or Firm*—Rabin & Berdo, PC

(57) **CLAIM**

The ornamental design for a battery, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a battery showing our new design;

FIG. 2 is a front elevation view of the first embodiment;

FIG. 3 is a rear elevation view of the first embodiment;

FIG. 4 is a top plan view of the first embodiment;

FIG. 5 is a bottom plan view of the first embodiment;

FIG. 6 is a right side view of the first embodiment;

FIG. 7 is a left side view of the first embodiment;

FIG. 8 is a perspective view of a second embodiment of a battery showing our new design;

FIG. 9 is a front elevation view of the second embodiment;

FIG. 10 is a rear elevation view of the second embodiment;

FIG. 11 is a top plan view of the second embodiment;

FIG. 12 is a bottom plan view of the second embodiment;

FIG. 13 is a right side view of the second embodiment; and,

FIG. 14 is a left side view of the second embodiment.

The broken lines shown in the drawings are included for the purpose of illustrating environmental structure and forms no part of the claimed design.

**1 Claim, 7 Drawing Sheets**





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

